

UNCLASSIFIED

AD NUMBER

AD813485

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; JAN 1967. Other requests shall be referred to Ballistic Systems and Space Systems Division, Los Angeles, CA 90009-2960. This document contains export-controlled technical data.

AUTHORITY

SAMSO ltr, 19 Jan 1972

THIS PAGE IS UNCLASSIFIED

AIR FORCE REPORT NO.
SSD-TR-67-45

AEROSPACE REPORT NO.
TR-1001(0210-02)-1

AD 813485

Compilation of Reaction Rate Data for Nonequilibrium Performance and Reentry Calculation Programs

JANUARY 1967

Prepared by THERMOCHEMISTRY RESEARCH DEPARTMENT
Aerodynamics and Propulsion Research Laboratory
Laboratories Division
Laboratory Operations
AEROSPACE CORPORATION

This document is subject to special export controls and each
transmittal to foreign governments or foreign nationals may be
made only with prior approval of SSS AFSC

Prepared for BALLISTIC SYSTEMS AND SPACE SYSTEMS DIVISIONS
AIR FORCE SYSTEMS COMMAND
LOS ANGELES AIR FORCE STATION
Los Angeles, California

L. A. Calif

DISTRIBUTION OF THIS DOCUMENT ~~RESTRICTED~~

Air Force Report No.
SSD-TR-67-45

Aerospace Report No.
TR-1001(9210-02)-1

COMPILATION OF REACTION RATE DATA FOR NONEQUILIBRIUM
PERFORMANCE AND REENTRY CALCULATION PROGRAMS

Prepared by


Thermochemistry Research Department
Aerodynamics and Propulsion Research Laboratory

Laboratories Division
Laboratory Operations
AEROSPACE CORPORATION

January 1967

Prepared for

BALLISTIC SYSTEMS AND SPACE SYSTEMS DIVISION
AIR FORCE SYSTEMS COMMAND
LOS ANGELES AIR FORCE STATION
Los Angeles, California


Distribution of this document 

FOREWORD


This report is published by the Aerospace Corporation, El Segundo, California, under Air Force Contract No. AF 04(695)-1001. The report was authored by R. Tunder, S. Mayer, E. Cook, and L. Schieler of the Thermochemistry Research Department.

This report, which documents research carried out from June 1966 to September 1966, was submitted on 15 March 1967 to Captain John T. Allton, USAF, for review and approval.

Approved


R. A. Hartunian, Director
Aerodynamics and Propulsion
Research Laboratory
Laboratories Division
Laboratory Operations

Publication of this report does not constitute Air Force approval of the report's findings or conclusions. It is published only for the exchange and stimulation of ideas.


John T. Allton, Captain, USAF
Space Systems Division
Air Force Systems Command

ABSTRACT

A compilation of gas-phase rate data for use in nonequilibrium gas composition and propellant performance calculation programs is presented. Reactions are listed with the preexponential factor, temperature exponent, and activation energy for the Arrhenius form of the rate equation. Only unidirectional rate data are supplied since reverse rates may be generated from thermochemical data. Explanatory notes on the estimation of the rate data are included with the references.

TABLES

1.	Reactions Involving Aluminum Species	5
2.	Reactions Involving Beryllium Species	22
3.	Reactions Involving Boron Species	30
4.	Reactions Involving Carbon and Carbon-Hydrogen Species	36
5.	Reactions Involving Carbon-Nitrogen and Carbon-Oxygen Species	42
6.	Reactions Involving Lithium Species	46
7.	Reactions Involving Nitrogen Species	49
8.	Reactions Involving Potassium Species	54
9.	Reactions Involving Sodium Species	55
10.	Reactions Involving Chlorine Species	58
11.	Reactions Involving Fluorine Species	59
12.	Reactions Involving Oxygen Species	60
13.	Reactions Involving Hydrogen Species	63

INTRODUCTION

This report is a compilation of gas-phase rate data for use in nonequilibrium gas composition and propellant performance calculation programs. The data are given for the Arrhenius rate equation, $k = AT^n \exp(-E/RT)$ where A is the frequency factor, T is the absolute temperature, n determines the preexponential temperature dependence, E is the activation energy, and R is the gas constant. Only forward rate data are presented; rates for the reverse reactions can be calculated by means of the equilibrium constant.

The tabulation of the gas-phase rate data is as follows:

Reactions of aluminum species (Table 1)

1. Al
2. AlCl, AlCl₂, AlCl₃
3. AlF, AlF₂, AlF₃
4. AlH
5. AlO
6. Al₂O
7. AlOCl
8. AlOF
9. AlOH
10. AlO₂H, etc.

Reactions of beryllium species (Table 2)

1. Be
2. BeCl
3. BeF
4. BeH
5. BeO

Reactions of boron species (Table 3)
Reactions of carbon species (Tables 4 and 5)
Reactions of lithium species (Table 6)
Reactions of nitrogen species (Table 7)
Reactions of potassium species (Table 8)
Reactions of sodium species (Table 9)
Reactions of chlorine (Table 10) and fluorine species (Table 11)
Reactions of oxygen (Table 12) and hydrogen species (Table 13)

The order of the tables (Table 1 through 13) is alphabetical with respect to names of the elements. Thus, aluminum reactions come first, even if they involve beryllium, boron, carbon, etc. Within each table, reactions of species containing the major element are listed alphabetically with species containing the smallest number of atoms listed first. Among the reactions involving two-atom and three-atom species, for example, the listing is alphabetical with respect to the elements. This species is always listed first in the equation, and the arrangement is based entirely on reactants, not products. Catalyzed reactions are listed before uncatalyzed reactions, and reactions with specific catalysts are listed alphabetically with respect to catalysts. The arrangement of reactions of a given species is alphabetical with respect to the other reactant (or reactants). All reactions with single-atom reactants come first, two-atom reactants are next, etc.

There are a number of exceptions to these organizational rules. Alphabetical order is as noted except for chlorine, fluorine, oxygen, and hydrogen; these are listed in that order, at the end of the table after sodium. This exception does not occur within the various tables. Halogen and oxide species in a table are often listed together instead of according to the numerical rule. AlCl , AlCl_2 , and AlCl_3 are listed successively before AlF , AlF_2 , and AlF_3 , which are all listed before

AlH. O and O₂ reactions are listed successively before OH. All charges are ignored in arranging reactions except when an isolated electron is a reactant; these reactions are then arranged alphabetically as single-atom reactants.

The references cited in the tables show the source of the data; where no kinetic data are available, the constants were estimated by recommended procedures as indicated in the references.

Many of the reaction rates are based on Ref. (2). For these cases, rate constants of nonionic reactions were estimated on the basis of the report cited in Ref. (1). A, n, and E were chosen to correspond to those of similar reactions in this report. For exothermic bimolecular reactions, $A = 5 \times 10^{11}$ cc/mole-sec, $n = 0.5$, $E = 5.5\%$ of the energy of the bond being broken for triatomic transition states (Hirschfelder rule). For transition states of more than three atoms, $A = 1 \times 10^{11}$ cc/mole-sec. Typically, for exothermic trimolecular reactions, $A = 3 \times 10^{16}$ cc²/moles² sec, $n = -0.5$, and $E = 0$.

Reactions based on Ref. (2), involving ions or electrons, use the report in Ref. (21) as their basis. For charge transfer reactions, $A = 4 \times 10^{11}$, $n = 0.5$, and $E = 0$. For reactions of the type $X^+ + e + M$, where M is, as in the tables, any third body that acts as a catalyst, $A = 5 \times 10^{23}$, $n = -1.5$, and $E = 0$. For the type $X^+ + Y^- + M = XY + M$, $A = 4 \times 10^{17}$, $n = -0.5$, and $E = 0$. For $X + e + M = X^- + M$, $A = 1 \times 10^{20}$, $n = -1.0$, and $E = 0$. For $x + Y^- + M = XY^- + M$, $A = 4 \times 10^{17}$, $n = -0.5$, and $E = 0$. For exothermic reactions of the type $X^- + Y = XY + e$, $A = 5 \times 10^{11}$, $n = 0.5$, and $E = 0$.

Although many of the tabulated reactions contain M, a generalized third-body catalyst, specific third bodies are included wherever the information is available. For example, the hydrogen-fluorine reactions (Refs. 3 and 19) have H₂, H, and HF as specific third bodies, each with

slightly different k_f values. Atomic fluorine is present in such systems at a much lower concentration and has a negligible effect as a third body; therefore third-body reactions with F as a catalyst are not listed. When a generalized third-body reaction rate was not available, but desirable, and several specific third body rates were available, A for the generalized reaction rate has been obtained from a weighted geometric mean of the A's for the specific reaction rates. The weighting is based on the concentration of each specific third body. If the concentrations of the specific third bodies are y_i , the weighted geometric mean is

$$A_m = (\prod_i A_i^{y_i})^{1/\sum_i y_i}.$$

All the rates associated with Ref. (36) are hydrogen transfer reactions ($AH + B = A + HB$). The collision equation used to estimate the rates of these reactions is a modification of the equation referred to in Ref. (36). In units of cc/mole-sec, $k_f = 2.74 \times 10^{12} P \sigma_{AB}^2 \mu^{\frac{1}{2}} T^{\frac{1}{2}} r_s (g_{BH} g_A / g_{AH} g_B)^{\frac{1}{2}}$. Here, $E = 0$, $n = \frac{1}{2}$, and the equation really determines A. In the equation $P = 0.1$ (steric factor for polyatomic reactants), g is the electronic multiplicity, σ_{AB} is the internuclear distance (in angstroms) between colliding species, μ is the reduced mass, and r_s is the number of equivalent hydrogens on AH.

Table 1. Reactions Involving Aluminum Species

Reaction	A , cc/ mole-sec	n	E , kcal/mole	Refer- ence
$\text{Al} + \text{AlCl}_2 = 2 \text{AlCl}$	1×10^{11}	0.5	5	2
$\text{Al} + \text{AlClF} = \text{AlCl} + \text{AlF}$	1×10^{11}	0.5	6	2
$\text{Al} + \text{AlOCl} = \text{Al}_2\text{O} + \text{Cl}$	1×10^{11}	0.5	8	2
$\text{Al} + \text{AlCl}_3 = \text{AlCl} + \text{AlCl}_2$	1×10^{11}	0.5	5	2
$\text{Al} + \text{AlF}_2 = 2\text{AlF}$	1×10^{11}	0.5	6	2
$\text{Al} + \text{AlOF} = \text{AlF} + \text{AlO}$	1×10^{11}	0.5	9	2
$\text{Al} + \text{AlClF}_2 = \text{AlF} + \text{AlClF}$	1×10^{11}	0.5	7	2
$\text{Al} + \text{AlClF}_2 = \text{AlCl} + \text{AlF}_2$	1×10^{11}	0.5	6	2
$\text{Al} + \text{AlCl}_2\text{F} = \text{AlF} + \text{AlCl}_2$	1×10^{11}	0.5	7	2
$\text{Al} + \text{AlCl}_2\text{F} = \text{AlCl} + \text{AlClF}$	1×10^{11}	0.5	6	2
$\text{Al} + \text{AlF}_3 = \text{AlF} + \text{AlF}_2$	1×10^{11}	0.5	7	2
$\text{Al} + \text{AlOH} = \text{Al}_2\text{O} + \text{H}$	1×10^{11}	0.5	4	2
$\text{Al} + \text{AlO} + \text{M} = \text{Al}_2\text{O} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Al} + \text{Al}_2\text{O}^+ = \text{Al}^+ + \text{Al}_2\text{O}$	5×10^{11}	0.5	0	2
$\text{Al}^+ + \text{AlO} + \text{M} = \text{Al}_2\text{O}^+ + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Al} + \text{AlO}_2\text{H} = \text{AlOH} + \text{AlO}$	5×10^{10}	0.5	6	2
$\text{Al} + \text{AlO}_2\text{H} = \text{OH} + \text{Al}_2\text{O}$	1×10^{11}	0.5	5	2
$\text{Al}^+ + \text{AlO}_2\text{H} = \text{OH} + \text{Al}_2\text{O}^+$	1×10^{11}	0.5	5	2
$\text{Al} + \text{Al}_2\text{O}_2 = \text{AlO} + \text{Al}_2\text{O}$	5×10^{10}	0.5	6	2
$\text{Al} + \text{Be}^+ = \text{Al}^+ + \text{Be}$	4×10^{11}	0.5	0	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Al} + \text{BeCl} = \text{Be} + \text{AlCl}$	5×10^{11}	0.5	6	2
$\text{Al} + \text{BeF} = \text{AlF} + \text{Be}$	5×10^{11}	0.5	8	2
$\text{Al} + \text{BeH} = \text{AlH} + \text{Be}$	8.5×10^{11}	0.7	4	22
$\text{Al} + \text{BeO} = \text{AlO} + \text{Be}$	5×10^{11}	0.5	6	2
$\text{Al} + \text{BeClF} = \text{BeCl} + \text{AlF}$	1×10^{11}	0.5	7	2
$\text{Al}^+ + \text{CHO} = \text{Al} + \text{CHO}^+$	5×10^{11}	0.5	0	2
$\text{Al} + \text{CHO} = \text{AlH} + \text{CO}$	1×10^{11}	0.5	2	2
$\text{Al} + \text{Cl}^- = \text{AlCl} + e$	5×10^{11}	0.5	0	2
$\text{Al} + \text{Cl}_2 = \text{AlCl} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Al} + \text{Cl} + \text{M} = \text{AlCl} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Al}^+ + \text{Cl}^- + \text{M} = \text{AlCl} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Al} + \text{ClF} = \text{AlF} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Al} + \text{ClF} = \text{AlCl} + \text{F}$	5×10^{11}	0.5	3	2
$\text{Al} + \text{ClH} = \text{AlCl} + \text{H}$	5×10^{11}	0.5	6	2
$\text{Al}^+ + \text{ClLi} = \text{AlCl} + \text{Li}^+$	1×10^{11}	0.5	6	2
$\text{Al} + \text{ClLi} = \text{AlCl} + \text{Li}$	5×10^{11}	0.5	6	2
$\text{Al} + \text{ClK} = \text{AlCl} + \text{K}$	5×10^{11}	0.5	7	2
$\text{Al}^+ + \text{ClK} = \text{AlCl} + \text{K}^+$	1×10^{11}	0.5	7	2
$\text{Al} + \text{ClNa} = \text{AlCl} + \text{Na}$	5×10^{11}	0.5	5	2
$\text{Al}^+ + \text{ClNa} = \text{AlCl} + \text{Na}^+$	5×10^{11}	0.5	5	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Al}^+ + e + \text{M} = \text{Al} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{Al} + \text{F} + \text{M} = \text{AlF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Al}^+ + \text{F}^- + \text{M} = \text{AlF} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Al} + \text{F}_2 = \text{AlF} + \text{F}$	5×10^{11}	0.5	2	2
$\text{Al} + \text{FH} = \text{AlF} + \text{H}$	5×10^{11}	0.5	7	2
$\text{Al}^+ + \text{LiH} = \text{AlH} + \text{Li}^+$	1×10^{11}	0.5	3	2
$\text{Al} + \text{FLi} = \text{AlF} + \text{Li}$	5×10^{11}	0.5	7	2
$\text{Al}^+ + \text{FLi} = \text{AlF} + \text{Li}^+$	1×10^{11}	0.5	7	2
$\text{Al} + \text{LiO} = \text{AlO} + \text{Li}$	5×10^{11}	0.5	5	2
$\text{Al}^+ + \text{LiO} = \text{AlO} + \text{Li}^+$	1×10^{11}	0.5	5	2
$\text{Al} + \text{FK} = \text{AlF} + \text{K}$	5×10^{11}	0.5	7	2
$\text{Al}^+ + \text{FK} = \text{AlF} + \text{K}^+$	1×10^{11}	0.5	7	2
$\text{Al} + \text{FNa} = \text{AlF} + \text{Na}$	5×10^{11}	0.5	6	2
$\text{Al}^+ + \text{FNa} = \text{AlF} + \text{Na}^+$	1×10^{11}	0.5	6	2
$\text{Al}^+ + \text{H}^- + \text{M} = \text{AlH} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Al} + \text{H} + \text{M} = \text{AlH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Al} + \text{H}^- = e + \text{AlH}$	5×10^{11}	0.5	0	2
$\text{Al} + \text{HO} = \text{AlO} + \text{H}$	5×10^{11}	0.5	6	2
$\text{Al} + \text{LiH} = \text{Li} + \text{AlH}$	3.0×10^{12}	0.7	9	22
$\text{Al} + \text{OH} + \text{M} = \text{AlOH} + \text{M}$	3×10^{12}	-0.5	0	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Al} + \text{H}_2\text{O} = \text{AlOH} + \text{H}$	1×10^{11}	0.5	6	2
$\text{Al} + \text{H}_3\text{O}^+ = \text{Al}^+ + \text{H} + \text{H}_2\text{O}$	1×10^{10}	0.5	6	2
$\text{Al}^+ + \text{NaH} = \text{AlH} + \text{Na}^+$	5×10^{11}	0.5	7	2
$\text{Al} + \text{NaH} = \text{Na} + \text{AlH}$	9.7×10^{11}	0.7	6	22
$\text{Al}^+ + \text{Li} = \text{Al} + \text{Li}^+$	4×10^{11}	0.5	0	2
$\text{Al} + \text{NO}^+ = \text{Al}^+ + \text{NO}$	5×10^{11}	0.5	0	2
$\text{Al} + \text{O}^- = \text{AlO} + \text{e}$	5×10^{11}	0.5	0	2
$\text{Al} + \text{O} + \text{M} = \text{AlO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Al}^+ + \text{O}^- + \text{M} = \text{AlO} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Al} + \text{O}_2 = \text{AlO} + \text{O}$	5×10^{11}	0.5	6	2
$\text{Al} + \text{O}_2^- = \text{AlO} + \text{O}^-$	5×10^{11}	0.5	6	2
$\text{Al}^+ + \text{O}_2^- = \text{AlO} + \text{O}$	5×10^{11}	0.5	6	2
$\text{Al}^+ + \text{K} = \text{Al} + \text{K}^+$	4×10^{11}	0.5	0	2
$\text{Al}^+ + \text{Na} = \text{Al} + \text{Na}^+$	4×10^{11}	0.5	0	2
$\text{Al} + \text{NaO} = \text{AlO} + \text{Na}$	5×10^{11}	0.5	4	2
$\text{Al}^+ + \text{NaO} = \text{AlO} + \text{Na}^+$	5×10^{11}	0.5	6	2
$\text{AlCl} + \text{AlCl}_3 = 2\text{AlCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{AlCl}_2\text{F} = \text{AlCl}_2 + \text{AlClF}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{AlClF}_2 = 2\text{AlClF}$	1×10^{11}	0.5	7	2
$\text{AlCl}_2 + \text{AlF}_2 = \text{AlCl} + \text{AlClF}_2$	1×10^{11}	0.5	5	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlCl}_2 + \text{AlF}_2 = \text{AlF} + \text{AlCl}_2\text{F}$	1×10^{11}	0.5	6	2
$\text{AlCl}_3 + \text{AlF} = \text{AlClF} + \text{AlCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{AlO} = \text{AlOCl} + \text{Al}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{AlO} = \text{Al}_2\text{O} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{AlO}_2\text{H} = \text{AlOCl} + \text{AlOH}$	1×10^{11}	0.5	6	2
$\text{AlCl}_2 + \text{AlO} = \text{AlCl} + \text{AlClO}$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{BeCl} = \text{AlCl}_2 + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{BeCl} = \text{Al} + \text{BeCl}_2$	1×10^{11}	0.5	6	2
$\text{AlCl}_2 + \text{BeCl} = \text{AlCl} + \text{BeCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl}_2 + \text{BeCl} = \text{AlCl}_3 + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlCl}_3 + \text{BeCl} = \text{AlCl}_2 + \text{BeCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{BeF} = \text{BeClF} + \text{Al}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{BeF} = \text{AlClF} + \text{Be}$	1×10^{11}	0.5	8	2
$\text{AlCl}_2 + \text{BeF} = \text{AlCl}_2\text{F} + \text{Be}$	1×10^{11}	0.5	8	2
$\text{AlCl}_2 + \text{BeF} = \text{BeFCl} + \text{AlCl}$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{CO}_2 = \text{CO} + \text{AlClO}$	5×10^{10}	0.5	7	2
$\text{AlCl} + \text{F}_2 = \text{AlClF} + \text{F}$	1×10^{11}	0.5	2	2
$\text{AlCl}_2 + \text{F} = \text{AlFCl}_2$	1×10^{11}	0.5	0	2
$\text{AlCl} + \text{ClF} = \text{AlClF} + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{AlCl}_2 + \text{KF} = \text{AlCl}_2\text{F} + \text{K}$	1×10^{11}	0.5	7	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlCl} + \text{NaF} = \text{AlClF} + \text{Na}$	1×10^{11}	0.5	7	2
$\text{AlCl}_2 + \text{NaF} = \text{AlCl}_2\text{F} + \text{Na}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{Cl} + \text{M} = \text{AlCl}_2 + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlCl} + \text{Cl}^- = \text{AlCl}_2 + \text{e}$	1×10^{11}	0.5	0	2
$\text{AlCl} + \text{Cl}_2 = \text{AlCl}_2 + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{AlCl} + \text{ClF} = \text{AlCl}_2 + \text{F}$	1×10^{11}	0.5	3	2
$\text{AlCl}_2 + \text{Cl} = \text{AlCl}_3$	1×10^{11}	0.5	0	2
$\text{AlCl}_2 + \text{Cl}^- = \text{AlCl}_3 + \text{e}$	1×10^{11}	0.5	0	2
$\text{AlCl} + \text{F} + \text{M} = \text{AlFCl} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlCl} + \text{KF} = \text{AlClF} + \text{K}$	1×10^{11}	0.5	7	2
$\text{AlCl}_2 + \text{H} = \text{AlCl} + \text{HCl}$	1×10^{11}	0.5	5	2
$\text{AlCl}_3 + \text{H} = \text{HCl} + \text{AlCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{LiO} = \text{AlOCl} + \text{Li}$	1×10^{11}	0.5	6	2
$\text{AlCl}_2 + \text{Li} = \text{AlCl} + \text{LiCl}$	1×10^{11}	0.5	5	2
$\text{AlCl}_3 + \text{Li} = \text{LiCl} + \text{AlCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{M} + \text{O} = \text{AlOCl} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlCl} + \text{O}^- = \text{AlOCl} + \text{e}$	1×10^{11}	0.5	0	2
$\text{AlCl} + \text{O}^- = \text{AlO} + \text{Cl}^-$	5×10^{11}	0.5	3	2
$\text{AlCl} + \text{O}_2 = \text{AlOCl} + \text{O}$	1×10^{11}	0.5	6	2
$\text{AlCl} + \text{O}_2^- = \text{AlOCl} + \text{O}^-$	1×10^{11}	0.5	5	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlCl}_2 + \text{O} = \text{AlOCl} + \text{Cl}$	1×10^{11}	0.5	5	2
$\text{AlCl}_2 + \text{O}^- = \text{AlOCl} + \text{Cl}^-$	1×10^{10}	0.5	5	2
$\text{AlCl}_2 + \text{K} = \text{AlCl} + \text{KCl}$	5×10^{11}	0.5	5	2
$\text{AlCl}_3 + \text{K} = \text{KCl} + \text{AlCl}_2$	1×10^{11}	0.5	5	2
$\text{AlCl}_2 + \text{Na} = \text{AlCl} + \text{NaCl}$	1×10^{11}	0.5	5	2
$\text{AlCl} + \text{NaO} = \text{AlOCl} + \text{Na}$	1×10^{11}	0.5	4	2
$\text{AlCl}_3 + \text{Na} = \text{NaCl} + \text{AlCl}_2$	5×10^{10}	0.5	5	2
$\text{AlClF} + \text{AlF}_2 = \text{AlF} + \text{AlClF}_2$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{AlF}_2 = \text{AlCl} + \text{AlF}_3$	1×10^{11}	0.5	7	2
$\text{AlClF} + \text{AlO} = \text{AlF} + \text{AlOCl}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{AlO} = \text{AlCl} + \text{AlOF}$	1×10^{11}	0.5	7	2
$\text{AlClF} + \text{BeCl} = \text{AlFCl}_2 + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{BeCl} = \text{AlCl} + \text{BeClF}$	1×10^{11}	0.5	7	2
$\text{AlFCl} + \text{BeCl} = \text{BeCl}_2 + \text{AlF}$	1×10^{11}	0.5	6	2
$\text{AlFCl} + \text{BeCl} = \text{AlFCl}_2 + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{BeF} = \text{AlClF}_2 + \text{Be}$	1×10^{11}	0.5	8	2
$\text{AlClF} + \text{BeF} = \text{AlCl} + \text{BeF}_2$	1×10^{11}	0.5	7	2
$\text{AlClF} + \text{BeF} = \text{BeFCl} + \text{AlF}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{Cl} = \text{AlCl}_2\text{F}$	1×10^{11}	0.5	0	2
$\text{AlClF} + \text{F} = \text{AlClF}_2$	1×10^{11}	0.5	0	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	k , cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlClF} + \text{KF} = \text{AlClF}_2 + \text{K}$	1×10^{11}	0.5	7	2
$\text{AlClF} + \text{NaF} = \text{AlClF}_2 + \text{Na}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{H} = \text{AlCl} + \text{HF}$	1×10^{11}	0.5	7	2
$\text{AlClF} + \text{H} = \text{AlF} + \text{HCl}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{Li} = \text{AlCl} + \text{LiF}$	1×10^{11}	0.5	7	2
$\text{AlClF} + \text{Li} = \text{AlF} + \text{LiCl}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{O}^- = \text{AlOF} + \text{Cl}^-$	5×10^{10}	0.5	6	2
$\text{AlClF} + \text{O}^- = \text{AlOCl} + \text{F}^-$	5×10^{10}	0.5	7	2
$\text{AlClF} + \text{O} = \text{AlOF} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{AlClF} + \text{Na} = \text{AlF} + \text{NaCl}$	1×10^{11}	0.5	6	2
$\text{AlCl}_2\text{F} + \text{AlF} = 2\text{AlClF}$	1×10^{11}	0.5	6	2
$\text{AlCl}_2\text{F} + \text{BeCl} = \text{BeClF} + \text{AlCl}_2$	1×10^{11}	0.5	8	2
$\text{AlCl}_2\text{F} + \text{BeCl} = \text{BeCl}_2 + \text{AlFCl}$	1×10^{11}	0.5	6	2
$\text{AlClF}_2 + \text{BeF} = \text{BeF}_2 + \text{AlClF}$	1×10^{11}	0.5	8	2
$\text{AlClF}_2 + \text{BeF} = \text{BeFCl} + \text{AlF}_2$	1×10^{11}	0.5	6	2
$\text{AlCl}_2\text{F} + \text{H} = \text{AlClF} + \text{HCl}$	1×10^{11}	0.5	6	2
$\text{AlCl}_2\text{F} + \text{H} = \text{AlCl}_2 + \text{HF}$	1×10^{11}	0.5	7	2
$\text{AlCl}_2\text{F} + \text{Li} = \text{LiF} + \text{AlCl}_2$	1×10^{11}	0.5	7	2
$\text{AlCl}_2\text{F} + \text{Li} = \text{LiCl} + \text{AlClF}$	1×10^{11}	0.5	6	2
$\text{AlCl}_2\text{F} + \text{K} = \text{KCl} + \text{AlClF}$	1×10^{11}	0.5	6	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlCl}_2\text{F} + \text{Na} = \text{AlClF} + \text{NaCl}$	1×10^{11}	0.5	6	2
$\text{AlClF}_2 + \text{BeCl} = \text{BeCl}_2 + \text{AlF}_2$	1×10^{11}	0.5	6	2
$\text{AlClF}_2 + \text{BeCl} = \text{BeFCl} + \text{AlFCl}$	1×10^{11}	0.5	8	2
$\text{AlClF}_2 + \text{BeF} = \text{AlF}_2 + \text{BeClF}$	1×10^{11}	0.5	6	2
$\text{AlClF}_2 + \text{BeF} = \text{AlClF} + \text{BeF}_2$	1×10^{11}	0.5	8	2
$\text{AlClF}_2 + \text{H} = \text{AlF}_2 + \text{HCl}$	1×10^{11}	0.5	6	2
$\text{AlClF}_2 + \text{H} = \text{AlClF} + \text{HF}$	1×10^{11}	0.5	7	2
$\text{AlClF}_2 + \text{Li} = \text{AlF}_2 + \text{LiCl}$	1×10^{11}	0.5	6	2
$\text{AlClF}_2 + \text{Li} = \text{AlClF} + \text{LiF}$	1×10^{11}	0.5	7	2
$\text{AlF} + \text{AlO}_2\text{H} = \text{AlOF} + \text{AlOH}$	1×10^{11}	0.5	6	2
$\text{AlF} + \text{Al}_2\text{O}_2 = \text{AlOF} + \text{Al}_2\text{O}$	1×10^{11}	0.5	6	2
$2\text{AlF}_2 = \text{AlF} + \text{AlF}_3$	1×10^{11}	0.5	6	2
$\text{AlF}_2 + \text{AlO} = \text{AlF} + \text{AlOF}$	1×10^{11}	0.5	6	2
$\text{AlF} + \text{BeCl} = \text{AlClF} + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlF}_2 + \text{BeCl} = \text{AlClF}_2 + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlF}_2 + \text{BeCl} = \text{BeClF} + \text{AlF}$	1×10^{11}	0.5	6	2
$\text{AlF} + \text{BeO} = \text{AlOF} + \text{Be}$	1×10^{11}	0.5	9	2
$\text{AlF} + \text{BeF} = \text{Be} + \text{AlF}_2$	1×10^{11}	0.5	8	2
$\text{AlF} + \text{BeF} = \text{BeF}_2 + \text{Al}$	1×10^{11}	0.5	9	2
$\text{AlF}_2 + \text{BeF} = \text{BeF}_2 + \text{AlF}$	1×10^{11}	0.5	6	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reactions	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlF}_2 + \text{BeF} = \text{Be} + \text{AlF}_3$	1×10^{11}	0.5	8	2
$\text{AlF}_3 + \text{BeF} = \text{BeF}_2 + \text{AlF}_2$	1×10^{11}	0.5	8	2
$\text{AlF} + \text{Cl} + \text{M} = \text{AlClF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlF}_2 + \text{Cl} = \text{AlClF}_2$	1×10^{11}	0.5	0	2
$\text{AlF}_2 + \text{KCl} = \text{AlClF}_2 + \text{K}$	1×10^{11}	0.5	6	2
$\text{AlF} + \text{ClF} = \text{AlClF} + \text{F}$	1×10^{11}	0.5	3	2
$\text{AlF}_2 + \text{NaCl} = \text{AlClF}_2 + \text{Na}$	1×10^{11}	0.5	5	2
$\text{AlF}_2 + \text{KF} = \text{AlF}_3 + \text{K}$	1×10^{11}	0.5	7	2
$\text{AlF} + \text{ClF} = \text{AlF}_2 + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{AlF} + \text{F} + \text{M} = \text{AlF}_2 + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlF} + \text{F}_2 = \text{AlF}_2 + \text{F}$	1×10^{11}	0.5	2	2
$\text{AlF}_2 + \text{F} = \text{AlF}_3$	1×10^{11}	0.5	0	2
$\text{AlF}_2 + \text{HF} = \text{H} + \text{AlF}_3$	1×10^{11}	0.5	7	2
$\text{AlF}_2 + \text{LiF} = \text{Li} + \text{AlF}_3$	1×10^{11}	0.5	7	2
$\text{AlF} + \text{NaF} = \text{AlF}_2 + \text{Na}$	1×10^{11}	0.5	6	2
$\text{AlF}_2 + \text{NaF} = \text{Na} + \text{AlF}_3$	1×10^{11}	0.5	6	2
$\text{AlF}_2 + \text{H} = \text{AlF} + \text{HF}$	1×10^{11}	0.5	6	2
$\text{AlF} + \text{OH} = \text{AlOF} + \text{H}$	1×10^{11}	0.5	6	2
$\text{AlF}_2 + \text{Li} = \text{AlF} + \text{FLi}$	1×10^{11}	0.5	9	2
$\text{AlF} + \text{LiO} = \text{AlOF} + \text{Li}$	1×10^{11}	0.5	5	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlF} + \text{O} + \text{M} = \text{AlOF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlF}_2 + \text{O} = \text{AlOF} + \text{F}$	1×10^{11}	0.5	6	2
$\text{AlF} + \text{O}_2^- = \text{AlOF} + \text{O}^-$	1×10^{11}	0.5	5	2
$\text{AlF}_2 + \text{K} = \text{AlF} + \text{FK}$	5×10^{11}	0.5	6	2
$\text{AlF} + \text{NaO} = \text{AlOF} + \text{Na}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{AlO} = \text{AlOH} + \text{Al}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{AlO} = \text{Al}_2\text{O} + \text{H}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{BeH} = \text{BeH}_2 + \text{Al}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{BeO} = \text{BeOH} + \text{Al}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{BeO} = \text{AlOH} + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlH} + \text{B} = \text{Al} + \text{BH}$	2.4×10^{12}	0.7	8	22
$\text{AlH} + \text{C} = \text{Al} + \text{CH}$	1.4×10^{12}	0.7	13	22
$\text{AlH} + \text{CN} = \text{Al} + \text{HCN}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{Cl} = \text{AlCl} + \text{H}$	5×10^{11}	0.5	4	2
$\text{AlH} + \text{Cl} = \text{Al} + \text{HCl}$	1.4×10^{11}	0.7	8	22
$\text{AlH} + \text{F} = \text{Al} + \text{HF}$	1.5×10^{11}	0.7	6	22
$\text{AlH} + \text{H} = \text{Al} + \text{H}_2$	9.1×10^{11}	0.7	4	22
$\text{AlH} + \text{NH} = \text{Al} + \text{NH}_2$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{LiO} = \text{Al} + \text{LiOH}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{N} = \text{Al} + \text{HN}$	5.6×10^{11}	0.7	6	22

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlH} + \text{O} = \text{Al} + \text{HO}$	2.8×10^{11}	0.7	8	22
$\text{AlH} + \text{O}^- = \text{Al} + \text{OH}^-$	5×10^{11}	0.5	3	2
$\text{AlH} + \text{O} = \text{AlO} + \text{H}$	5×10^{11}	0.5	4	2
$\text{AlH} + \text{OH} = \text{AlOH} + \text{H}$	5×10^{10}	0.5	6	2
$\text{AlH} + \text{OH} = \text{Al} + \text{H}_2\text{O}$	1×10^{11}	0.5	4	2
$\text{AlH} + \text{NaO} = \text{Al} + \text{NaOH}$	1×10^{11}	0.5	4	2
$2\text{AlO} = \text{Al}_2\text{O}_2$	1×10^{11}	0.5	0	2
$2\text{AlO} = \text{Al}_2\text{O} + \text{O}$	1×10^{11}	0.5	6	2
$\text{AlO} + \text{AlOH} = \text{Al}_2\text{O} + \text{OH}$	1×10^{11}	0.5	4	2
$\text{AlO} + \text{AlOH} = \text{Al}_2\text{O}_2 + \text{H}$	1×10^{11}	0.5	5	2
$\text{AlO} + \text{Al}_2\text{O}^+ = \text{Al}^+ + \text{Al}_2\text{O}_2$	1×10^{10}	0.5	6	2
$\text{AlO} + \text{BeCl} = \text{AlOCl} + \text{Be}$	1×10^{11}	0.5	6	2
$\text{AlO} + \text{BeH} = \text{AlOH} + \text{Be}$	1×10^{11}	0.5	3	2
$\text{AlO} + \text{BeOH} = \text{BeO} + \text{AlOH}$	1.3×10^{11}	0.5	0	36
$\text{AlO} + \text{CH}_2 = \text{CH} + \text{AlOH}$	4.3×10^{11}	0.5	0	36
$\text{AlO} + \text{CH}_3 = \text{CH}_2 + \text{AlOH}$	2.5×10^{11}	0.7	6	22
$\text{AlO} + \text{CH}_4 = \text{CH}_3 + \text{AlOH}$	2.2×10^{12}	0.7	10	22
$\text{AlO} + \text{HCO} = \text{CO} + \text{AlOH}$	6×10^{10}	0.7	4	22
$\text{AlO} + \text{H}_2\text{CO} = \text{HCO} + \text{AlOH}$	2.7×10^{11}	0.7	10	22
$\text{AlO} + \text{HCN} = \text{CN} + \text{AlOH}$	5.1×10^{11}	0.7	21	22

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlO} + \text{CO} = \text{Al} + \text{CO}_2$	1×10^{11}	0.5	6	2
$\text{AlO} + \text{M} + \text{Cl} = \text{AlClO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlO} + \text{Cl} = \text{AlCl} + \text{O}$	5×10^{11}	0.5	6	2
$\text{AlO} + \text{Cl}^- = \text{AlOCl} + \text{e}$	1×10^{11}	0.5	0	2
$\text{AlO} + \text{Cl}_2 = \text{AlOCl} + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{AlO} + \text{ClF} = \text{AlOF} + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{AlO} + \text{ClF} = \text{AlOCl} + \text{F}$	1×10^{11}	0.5	3	2
$\text{AlO} + \text{HCl} = \text{AlOCl} + \text{H}$	1×10^{11}	0.5	6	2
$\text{AlO} + \text{NaCl} = \text{AlOCl} + \text{Na}$	1×10^{11}	0.5	6	2
$\text{AlO} + \text{F} + \text{M} = \text{AlOF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlO} + \text{F} = \text{AlF} + \text{O}$	5×10^{11}	0.5	6	2
$\text{AlO} + \text{F}_2 = \text{AlOF} + \text{F}$	1×10^{11}	0.5	2	2
$\text{AlO} + \text{HF} = \text{AlOF} + \text{H}$	1×10^{11}	0.5	7	2
$\text{AlO} + \text{LiF} = \text{AlOF} + \text{Li}$	1×10^{11}	0.5	7	2
$\text{AlO} + \text{KF} = \text{AlOF} + \text{K}$	1×10^{11}	0.5	7	2
$\text{AlO} + \text{NaF} = \text{AlOF} + \text{Na}$	1×10^{11}	0.5	6	2
$\text{AlO} + \text{H}^- = \text{Al} + \text{OH}^-$	5×10^{11}	0.5	6	2
$\text{AlO} + \text{H} + \text{M} = \text{AlHO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{AlO} + \text{LiH} = \text{AlOH} + \text{Li}$	1×10^{11}	0.5	3	2
$\text{AlO} + \text{OH} = \text{HAlO}_2$	1×10^{11}	0.5	0	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlO} + \text{OH}^- = \text{AlO}_2\text{H} + \text{e}$	1×10^{11}	0.5	0	2
$\text{AlO} + \text{HNO} = \text{NO} + \text{AlOH}$	3.2×10^{11}	0.5	0	36
$\text{AlO} + \text{H}_2\text{O} = \text{OH} + \text{AlOH}$	8.4×10^{11}	0.5	0	36
$\text{AlO} + \text{NH}_2 = \text{NH} + \text{AlOH}$	1.1×10^{12}	0.5	0	36
$\text{AlO} + \text{NH}_3 = \text{NH}_2 + \text{AlOH}$	6.6×10^{11}	0.5	0	36
$\text{AlO} + \text{NaOH} = \text{NaO} + \text{AlOH}$	1.4×10^{11}	0.5	0	36
$\text{AlO} + \text{NaH} = \text{AlOH} + \text{Na}$	1×10^{11}	0.5	3	2
$\text{AlO} + \text{N} = \text{Al} + \text{ON}$	5×10^{11}	0.5	6	2
$\text{Al}_2\text{O} + \text{AlOCl} = \text{AlCl} + \text{Al}_2\text{O}_2$	1×10^{11}	0.5	8	2
$\text{Al}_2\text{O} + \text{AlO}_2\text{H} = \text{AlOH} + \text{Al}_2\text{O}_2$	5×10^{10}	0.5	6	2
$\text{Al}_2\text{O} + \text{Be}^+ = \text{Al}_2\text{O}^+ + \text{Be}$	4×10^{11}	0.5	0	2
$\text{Al}_2\text{O} + \text{BeO} = \text{Be} + \text{Al}_2\text{O}_2$	1×10^{11}	0.5	6	2
$\text{Al}_2\text{O}^+ + \text{Cl} = \text{Al}^+ + \text{AlOCl}$	1×10^{11}	0.5	6	2
$\text{Al}_2\text{O}^+ + \text{Cl}^- = \text{Al} + \text{AlOCl}$	1×10^{11}	0.5	6	2
$\text{Al}_2\text{O}^+ + \text{M} + \text{e} = \text{Al}_2\text{O} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{Al}_2\text{O} + \text{F} = \text{Al} + \text{AlOF}$	1×10^{11}	0.5	7	2
$\text{Al}_2\text{O} + \text{F} = \text{AlF} + \text{AlO}$	1×10^{11}	0.5	6	2
$\text{Al}_2\text{O}^+ + \text{F} = \text{Al}^+ + \text{AlOF}$	1×10^{10}	0.5	7	2
$\text{Al}_2\text{O}^+ + \text{F}^- = \text{Al} + \text{AlOF}$	1×10^{11}	0.5	7	2
$\text{Al}_2\text{O}^+ + \text{H}^- = \text{Al} + \text{AlOH}$	1×10^{11}	0.5	6	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Al}_2\text{O} + \text{OH} = \text{H} + \text{Al}_2\text{O}_2$	1×10^{11}	0.5	6	2
$\text{Al}_2\text{O} + \text{Li}^+ = \text{Al}_2\text{O}^+ + \text{Li}$	4×10^{11}	0.5	0	2
$\text{Al}_2\text{O} + \text{O}^- = \text{Al}_2\text{O}_2 + \text{e}$	1×10^{11}	0.5	0	2
$\text{Al}_2\text{O}^+ + \text{O}^- = \text{Al}_2\text{O}_2$	1×10^{11}	0.5	0	2
$\text{Al}_2\text{O} + \text{O}_2^- = \text{O}^- + \text{Al}_2\text{O}_2$	5×10^{10}	0.5	5	2
$\text{Al}_2\text{O}^+ + \text{K} = \text{K}^+ + \text{Al}_2\text{O}$	4×10^{11}	0.5	0	2
$\text{Al}_2\text{O}^+ + \text{Na} = \text{Na}^+ + \text{Al}_2\text{O}$	5×10^{11}	0.5	0	2
$\text{AlOCl} + \text{Be} = \text{BeO} + \text{AlCl}$	1×10^{11}	0.5	8	2
$\text{AlOCl} + \text{F} = \text{O} + \text{AlClF}$	1×10^{11}	0.5	8	2
$\text{AlOCl} + \text{H} = \text{AlCl} + \text{OH}$	1×10^{11}	0.5	8	2
$\text{AlOCl} + \text{Li} = \text{AlO} + \text{LiCl}$	1×10^{11}	0.5	8	2
$\text{AlOCl} + \text{K} = \text{AlO} + \text{KCl}$	1×10^{11}	0.5	8	2
$\text{AlOF} + \text{Be} = \text{AlF} + \text{BeO}$	1×10^{11}	0.5	8	2
$\text{AlOF} + \text{CO} = \text{AlF} + \text{CO}_2$	1×10^{11}	0.5	8	2
$\text{AlOF} + \text{F} = \text{O} + \text{AlF}_2$	1×10^{10}	0.5	8	2
$\text{AlOF} + \text{N} = \text{AlF} + \text{NO}$	1×10^{11}	0.5	6	2
$\text{AlOF} + \text{O} = \text{AlF} + \text{O}_2$	1×10^{11}	0.5	6	2
$\text{AlOH} + \text{BeH} = \text{BeH}_2 + \text{AlO}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{BeOH} = \text{BeO}_2\text{H}_2 + \text{Al}$	1×10^{11}	0.5	5	2
$\text{AlOH} + \text{BeO} = \text{Be} + \text{AlO}_2\text{H}$	1×10^{11}	0.5	6	2

Table 1. Reactions Involving Aluminum Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlOH} + \text{BeO} = \text{BeOH} + \text{AlO}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{CH} = \text{AlO} + \text{CH}_2$	4×10^{10}	0.7	2	22
$\text{AlOH} + \text{CN} = \text{AlO} + \text{HCN}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{Cl} = \text{AlCl} + \text{OH}$	5×10^{10}	0.5	5	2
$\text{AlOH} + \text{Cl} = \text{AlO} + \text{HCl}$	1.4×10^{11}	0.5	0	36
$\text{AlOH} + \text{Cl} = \text{AlOCl} + \text{H}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{F} = \text{AlOF} + \text{H}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{F} = \text{AlF} + \text{OH}$	1×10^{11}	0.5	5	2
$\text{AlOH} + \text{F} = \text{AlO} + \text{HF}$	1.8×10^{11}	0.5	0	36
$\text{AlOH} + \text{H} = \text{AlO} + \text{H}_2$	1.2×10^{11}	0.7	5	22
$\text{AlOH} + \text{OH} = \text{AlO} + \text{H}_2\text{O}$	2.1×10^{11}	0.5	0	36
$\text{AlOH} + \text{LiO} = \text{AlO} + \text{LiOH}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{N} = \text{AlO} + \text{NH}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{NH} = \text{AlO} + \text{NH}_2$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{O}^- = \text{AlO}_2\text{H} + \text{e}$	1×10^{11}	0.5	0	2
$\text{AlOH} + \text{O} = \text{AlO} + \text{OH}$	3.7×10^{11}	0.5	0	36
$\text{AlOH} + \text{O}^- = \text{AlO} + \text{OH}$	1×10^{11}	0.5	4	2
$\text{AlOH} + \text{NaO} = \text{AlO} + \text{NaOH}$	3.1×10^{11}	0.5	0	36
$\text{AlO}_2\text{H} + \text{Be} = \text{BeOH} + \text{AlO}$	1×10^{11}	0.5	5	2
$\text{AlO}_2\text{H} + \text{BeOH} = \text{BeO}_2\text{H}_2 + \text{AlO}$	1×10^{11}	0.5	5	2

Table 1. Reactions Involving Aluminum Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{AlO}_2\text{H} + \text{CO} = \text{CO}_2 + \text{AlOH}$	5×10^{10}	0.5	6	2
$\text{AlO}_2\text{H} + \text{Cl} = \text{AlOCl} + \text{OH}$	5×10^{10}	0.5	5	2
$\text{AlO}_2\text{H} + \text{Cl}^- = \text{AlOCl} + \text{OH}^-$	1×10^{10}	0.5	6	2
$\text{AlO}_2\text{H} + \text{F} = \text{AlOF} + \text{OH}$	1×10^{11}	0.5	5	2
$\text{AlO}_2\text{H} + \text{F}^- = \text{AlOF} + \text{OH}^-$	5×10^{10}	0.5	5	2
$\text{AlO}_2\text{H} + \text{H} = \text{H}_2\text{O} + \text{AlO}$	1×10^{10}	0.5	5	2
$\text{AlO}_2\text{H} + \text{H} = \text{AlOH} + \text{OH}$	5×10^{10}	0.5	6	2
$\text{AlO}_2\text{H} + \text{Li} = \text{LiOH} + \text{AlO}$	1×10^{11}	0.5	5	2
$\text{AlO}_2\text{H} + \text{Li} = \text{AlOH} + \text{LiO}$	1×10^{11}	0.5	6	2
$\text{AlO}_2\text{H} + \text{N} = \text{NO} + \text{AlOH}$	5×10^{10}	0.5	6	2
$\text{AlO}_2\text{H} + \text{O} = \text{O}_2 + \text{AlOH}$	5×10^{10}	0.5	6	2
$\text{AlO}_2\text{H} + \text{K} = \text{KOH} + \text{AlO}$	1×10^{11}	0.5	5	2
$\text{AlO}_2\text{H} + \text{Na} = \text{Na OH} + \text{AlO}$	5×10^{10}	0.5	5	2
$\text{AlO}_2\text{H} + \text{Na} = \text{AlOH} + \text{NaO}$	5×10^{10}	0.5	6	2
$\text{Al}_2\text{O}_2 + \text{CO} = \text{Al}_2\text{O} + \text{CO}_2$	5×10^{10}	0.5	6	2
$\text{Al}_2\text{O}_2 + \text{N} = \text{NO} + \text{Al}_2\text{O}$	1×10^{11}	0.5	6	2
$\text{Al}_2\text{O}_2 + \text{O} = \text{O}_2 + \text{Al}_2\text{O}$	1×10^{11}	0.5	6	2

Table 2. Reactions Involving Beryllium Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Be} + \text{BeO}_2\text{H}_2 = 2\text{BeOH}$	1×10^{11}	0.5	5	2
$\text{Be} + \text{HCO} = \text{BeH} + \text{CO}$	1×10^{11}	0.5	2	2
$\text{Be} + \text{Cl} + \text{M} = \text{BeCl} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Be}^+ + \text{Cl}^- + \text{M} = \text{BeCl} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Be} + \text{Cl}_2 = \text{BeCl} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Be} + \text{ClF} = \text{BeCl} + \text{F}$	5×10^{11}	0.5	3	2
$\text{Be} + \text{ClF} = \text{BeF} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Be}^+ + \text{LiCl} = \text{BeCl} + \text{Li}^+$	1×10^{11}	0.5	6	2
$\text{Be}^+ + \text{NaCl} = \text{BeCl} + \text{Na}^+$	1×10^{11}	0.5	5	2
$\text{Be}^+ + \text{e} + \text{M} = \text{Be} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{Be} + \text{F} + \text{M} = \text{BeF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Be}^+ + \text{F}^- + \text{M} = \text{BeF} + \text{M}$	4×10^{11}	-0.5	0	2
$\text{Be} + \text{F}_2 = \text{BeF} + \text{F}$	5×10^{11}	0.5	3	2
$\text{Be}^+ + \text{LiF} = \text{BeF} + \text{Li}^+$	1×10^{11}	0.5	7	2
$\text{Be}^+ + \text{NaF} = \text{BeF} + \text{Na}^+$	1×10^{11}	0.5	6	2
$\text{Be} + \text{H} + \text{M} = \text{BeH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Be} + \text{OH} + \text{M} = \text{BeOH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Be} + \text{HO} = \text{BeO} + \text{H}$	5×10^{11}	0.5	6	2
$\text{Be} + \text{H}_2\text{O} = \text{BeOH} + \text{H}$	1×10^{11}	0.5	6	2
$\text{Be} + \text{NaH} = \text{BeH} + \text{Na}$	2.2×10^{12}	0.7	9	22

Table 2. Reactions Involving Beryllium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Be}^+ + \text{NaH} = \text{BeH} + \text{Na}^+$	1×10^{11}	0.5	3	2
$\text{Be}^+ + \text{Li} = \text{Be} + \text{Li}^+$	4×10^{11}	0.5	0	2
$\text{Be}^+ + \text{LiH} = \text{BeH} + \text{Li}^+$	1×10^{11}	0.5	3	2
$\text{Be} + \text{LiO} = \text{BeO} + \text{Li}$	5×10^{11}	0.5	5	2
$\text{Be}^+ + \text{LiO} = \text{BeO} + \text{Li}^+$	1×10^{11}	0.5	5	2
$\text{Be}^+ + \text{NO} = \text{Be} + \text{NO}^+$	4×10^{11}	0.5	0	2
$\text{Be} + \text{O}^- = \text{e} + \text{BeO}$	5×10^{11}	0.5	0	2
$\text{Be} + \text{O} + \text{M} = \text{BeO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Be}^+ + \text{O}^- + \text{M} = \text{BeO} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Be} + \text{O}_2^- = \text{BeO} + \text{O}^-$	5×10^{11}	0.5	5	2
$\text{Be}^+ + \text{O}_2^- = \text{BeO} + \text{O}$	5×10^{11}	0.5	5	2
$\text{Be}^+ + \text{NaO} = \text{BeO} + \text{Na}^+$	1×10^{11}	0.5	4	2
$\text{Be} + \text{NaO} = \text{BeO} + \text{Na}$	5×10^{11}	0.5	4	2
$\text{Be}^+ + \text{Na} = \text{Be} + \text{Na}^+$	4×10^{11}	0.5	0	2
$2\text{BeCl} = \text{Be} + \text{BeCl}_2$	1×10^{11}	0.5	6	2
$\text{BeCl} + \text{BeF} = \text{BeClF} + \text{Be}$	1×10^{11}	0.5	8	2
$\text{BeCl} + \text{M} + \text{Cl} = \text{BeCl}_2 + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BeCl} + \text{Cl}^- = \text{e} + \text{BeCl}_2$	1×10^{11}	0.5	0	2
$\text{BeCl} + \text{Cl}_2 = \text{BeCl}_2 + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{BeCl} + \text{ClF} = \text{BeCl}_2 + \text{F}$	1×10^{11}	0.5	3	2

Table 2. Reactions Involving Beryllium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BeCl} + \text{ClF} = \text{BeClF} + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{BeCl} + \text{HCl} = \text{BeCl}_2 + \text{H}$	1×10^{11}	0.5	6	2
$\text{BeCl} + \text{LiCl} = \text{BeCl}_2 + \text{Li}$	1×10^{11}	0.5	6	2
$\text{BeCl} + \text{NaCl} = \text{BeCl}_2 + \text{Na}$	1×10^{11}	0.5	5	2
$\text{BeCl} + e = \text{Be} + \text{Cl}^-$	5×10^{11}	0.5	0	2
$\text{BeCl} + \text{F} + \text{M} = \text{BeClF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BeCl} + \text{F}_2 = \text{BeClF} + \text{F}$	1×10^{11}	0.5	2	2
$\text{BeCl} + \text{HF} = \text{BeClF} + \text{H}$	1×10^{11}	0.5	7	2
$\text{BeCl} + \text{LiF} = \text{BeClF} + \text{Li}$	1×10^{11}	0.5	7	2
$\text{BeCl} + \text{NaF} = \text{BeClF} + \text{Na}$	1×10^{11}	0.5	6	2
$\text{BeCl} + \text{H} = \text{HCl} + \text{Be}$	5×10^{11}	0.5	6	2
$\text{BeCl} + \text{OH} = \text{BeOH} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{BeCl} + \text{Li} = \text{LiCl} + \text{Be}$	5×10^{11}	0.5	6	2
$\text{BeCl} + \text{O} = \text{Cl} + \text{BeO}$	5×10^{11}	0.5	6	2
$\text{BeCl} + \text{O}^- = \text{Cl}^- + \text{BeO}$	1×10^{11}	0.5	6	2
$\text{BeCl} + \text{Na} = \text{NaCl} + \text{Be}$	5×10^{11}	0.5	6	2
$2\text{BeF} = \text{BeF}_2 + \text{Be}$	1×10^{11}	0.5	8	2
$\text{BeF} + \text{Cl} + \text{M} = \text{BeClF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BeF} + \text{ClF} = \text{BeF}_2 + \text{Cl}$	1×10^{11}	0.5	3	2
$\text{BeF} + \text{ClF} = \text{BeClF} + \text{F}$	1×10^{11}	0.5	3	2

Table 2. Reactions Involving Beryllium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BeF} + \text{HCl} = \text{BeClF} + \text{H}$	1×10^{11}	0.5	6	2
$\text{BeF} + \text{LiCl} = \text{BeClF} + \text{Li}$	1×10^{11}	0.5	6	2
$\text{BeF} + \text{NaCl} = \text{BeClF} + \text{Na}$	1×10^{11}	0.5	5	2
$\text{BeF} + \text{F} + \text{M} = \text{BeF}_2 + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BeF} + \text{F}_2 = \text{BeF}_2 + \text{F}$	1×10^{11}	0.5	2	2
$\text{BeF} + \text{HF} = \text{BeF}_2 + \text{H}$	1×10^{11}	0.5	7	2
$\text{BeF} + \text{LiF} = \text{BeF}_2 + \text{Li}$	1×10^{11}	0.5	7	2
$\text{BeF} + \text{NaF} = \text{BeF}_2 + \text{Na}$	1×10^{11}	0.5	6	2
$\text{BeF} + \text{H} = \text{Be} + \text{HF}$	4×10^{11}	0.5	8	2
$\text{BeF} + \text{HO} = \text{BeOH} + \text{F}$	1×10^{11}	0.5	6	2
$\text{BeF} + \text{Li} = \text{Be} + \text{LiF}$	5×10^{11}	0.5	8	2
$\text{BeF} + \text{O} = \text{F} + \text{BeO}$	5×10^{11}	0.5	8	2
$\text{BeF} + \text{Na} = \text{Be} + \text{NaF}$	5×10^{11}	0.5	8	2
$2\text{BeH} = \text{BeH}_2 + \text{Be}$	1×10^{11}	0.5	3	2
$\text{BeH}_2 + \text{BeO} = \text{BeH} + \text{BeOH}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{B} = \text{Be} + \text{BH}$	7.0×10^{11}	0.7	3	22
$\text{BeH} + \text{C} = \text{Be} + \text{CH}$	5.8×10^{11}	0.7	8	22
$\text{BeH} + \text{CN} = \text{Be} + \text{HCN}$	1×10^{11}	0.5	3	2
$\text{BeH}_2 + \text{CN} = \text{BeH} + \text{HCN}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{HCO} = \text{BeH}_2 + \text{CO}$	1×10^{11}	0.5	2	2

Table 2. Reactions Involving Beryllium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BeH} + \text{Cl} = \text{BeCl} + \text{H}$	5×10^{11}	0.5	3	2
$\text{BeH} + \text{Cl} = \text{Be} + \text{HCl}$	2.6×10^{11}	0.7	3	22
$\text{BeH}_2 + \text{Cl} = \text{BeH} + \text{HCl}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{F} = \text{Be} + \text{HF}$	2.5×10^{11}	0.7	2	22
$\text{BeH}_2 + \text{F} = \text{BeH} + \text{HF}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{H} + \text{M} = \text{BeH}_2 + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BeH}_2 + \text{H} = \text{BeH} + \text{H}_2$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{LiH} = \text{BeH}_2 + \text{Li}$	1×10^{11}	0.5	3	2
$\text{BeH} + \text{NH} = \text{BeH}_2 + \text{N}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{NH} = \text{Be} + \text{NH}_2$	1×10^{11}	0.5	3	2
$\text{BeH} + \text{NH}_2 = \text{BeH}_2 + \text{NH}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{OH} = \text{Be} + \text{H}_2\text{O}$	1×10^{11}	0.5	3	2
$\text{BeH}_2 + \text{OH} = \text{BeH} + \text{H}_2\text{O}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{NaH} = \text{BeH}_2 + \text{Na}$	1×10^{11}	0.5	3	2
$\text{BeH} + \text{LiOH} = \text{LiOH} + \text{Be}$	1×10^{11}	0.5	3	2
$\text{BeH}_2 + \text{LiOH} = \text{BeH} + \text{LiOH}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{N} = \text{Be} + \text{NH}$	5×10^{11}	0.5	3	2
$\text{BeH} + \text{O} = \text{BeO} + \text{H}$	5×10^{11}	0.5	0	2
$\text{BeH}_2 + \text{O} = \text{BeH} + \text{OH}$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{O}^- = \text{Be} + \text{OH}^-$	5×10^{11}	0.5	3	2

Table 2. Reactions Involving Beryllium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BeH}_2 + \text{O}^- = \text{BeH} + \text{OH}^-$	1×10^{11}	0.5	5	2
$\text{BeH} + \text{NaO} = \text{Be} + \text{NaOH}$	1×10^{11}	0.5	3	2
$\text{BeH}_2 + \text{NaO} = \text{BeH} + \text{NaOH}$	1×10^{11}	0.5	5	2
$2\text{BeO} = \text{Be}_2\text{O}_2$	1×10^{11}	0.5	0	2
$\text{BeO} + \text{BeOH} = \text{Be}_2\text{O}_2 + \text{H}$	5×10^{10}	0.5	4	2
$\text{BeO} + \text{Be}_2\text{O}_2 = \text{Be}_3\text{O}_3$	1×10^{11}	0.5	0	2
$\text{BeO} + \text{Be}_3\text{O}_3 = \text{Be}_4\text{O}_4$	1×10^{11}	0.5	0	2
$\text{Be}_2\text{O}_2 + \text{BeOH} = \text{Be}_3\text{O}_3 + \text{H}$	5×10^{10}	0.5	4	2
$\text{Be}_3\text{O}_3 + \text{BeOH} = \text{Be}_4\text{O}_4 + \text{H}$	5×10^{10}	0.5	4	2
$2\text{Be}_2\text{O} = \text{Be}_4\text{O}_2$	5×10^{10}	0.5	0	2
$\text{BeO} + \text{CO} = \text{Be} + \text{CO}_2$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{HCN} = \text{CN} + \text{BeOH}$	3.9×10^{11}	0.7	15	22
$\text{BeO} + \text{HCO} = \text{CO} + \text{BeOH}$	1.3×10^{11}	0.5	0	36
$\text{BeO} + \text{CH}_3 = \text{CH}_2 + \text{BeOH}$	1.6×10^{11}	0.7	1	22
$\text{BeO} + \text{H}_2\text{CO} = \text{HCO} + \text{BeOH}$	6.0×10^{11}	0.6	2	22
$\text{BeO} + \text{CH}_4 = \text{CH}_3 + \text{BeOH}$	1.13×10^{12}	0.6	4	22
$\text{BeO} + \text{H} + \text{M} = \text{HBeO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BeO} + \text{HCl} = \text{BeOH} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{H}_2 = \text{BeOH} + \text{H}$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{LiH} = \text{BeOH} + \text{Li}$	1×10^{11}	0.5	3	2

Table 2. Reactions Involving Beryllium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BeO} + \text{NH} = \text{BeOH} + \text{N}$	1×10^{11}	0.5	5	2
$\text{BeO} + \text{HO} = \text{BeOH} + \text{O}$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{HO}^- = \text{BeOH} + \text{O}^-$	1×10^{11}	0.5	8	2
$\text{BeO} + \text{NaH} = \text{BeOH} + \text{Na}$	1×10^{11}	0.5	3	2
$\text{BeO} + \text{HCN} = \text{BeOH} + \text{CN}$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{HCO} = \text{BeOH} + \text{CO}$	1×10^{11}	0.5	2	2
$\text{BeO} + \text{LiOH} = \text{BeOH} + \text{LiO}$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{NH}_2 = \text{NH} + \text{BeOH}$	1.7×10^{12}	0.5	0	36
$\text{BeO} + \text{HNO} = \text{NO} + \text{BeOH}$	3.5×10^{11}	0.5	0	36
$\text{BeO} + \text{H}_2\text{O} = \text{BeOH} + \text{OH}$	1×10^{11}	0.5	6	2
$\text{BeO} + \text{NaOH} = \text{BeOH} + \text{NaO}$	1×10^{11}	0.5	7	2
$\text{BeO} + \text{NH}_3 = \text{NH}_2 + \text{BeOH}$	1.3×10^{12}	0.5	0	36
$\text{BeO} + \text{N} = \text{Be} + \text{NO}$	5×10^{11}	0.5	6	2
$\text{BeO} + \text{O} = \text{Be} + \text{O}_2$	5×10^{11}	0.5	6.	2
$\text{BeOH} + \text{CH} = \text{BeO} + \text{CH}_2$	2×10^{11}	0.7	2	22
$\text{BeOH} + \text{Cl} = \text{BeO} + \text{HCl}$	9×10^{10}	0.5	0	36
$\text{BeOH} + \text{F} = \text{BeO} + \text{HF}$	1×10^{11}	0.5	0	36
$\text{BeOH} + \text{H} = \text{BeO} + \text{H}_2$	5×10^{11}	0.7	5	22
$\text{BeOH} + \text{OH} = \text{BeO} + \text{H}_2\text{O}$	1.1×10^{11}	0.5	0	36
$\text{BeOH} + \text{OH} = \text{BeO}_2\text{H}_2$	1×10^{11}	0.5	0	2

Table 2. Reactions Involving Beryllium Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BeOH} + \text{LiOH} = \text{BeO}_2\text{H}_2 + \text{Li}$	1×10^{11}	0.5	5	2
$\text{BeOH} + \text{KOH} = \text{BeO}_2\text{H}_2 + \text{K}$	1×10^{11}	0.5	5	2
$\text{BeOH} + \text{NaOH} = \text{BeO}_2\text{H}_2 + \text{Na}$	1×10^{11}	0.5	5	2
$\text{BeOH} + \text{O} = \text{BeO} + \text{OH}$	2.0×10^{11}	0.5	0	36
$\text{BeOH} + \text{NaO} = \text{BeO} + \text{NaOH}$	1.8×10^{11}	0.5	0	36
$\text{BeO}_2\text{H}_2 + \text{H} = \text{BeOH} + \text{H}_2\text{O}$	1×10^{11}	0.5	5	2

Table 3. Reactions Involving Boron Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$B^+ + BO = B + BO^+$	4×10^{11}	0.5	0	2
$B + BF_2 = 2BF$	1×10^{11}	0.5	6	2
$B + BOF = BF + BO$	1×10^{11}	0.5	9	2
$B + BH_2 = 2BH$	1×10^{11}	0.5	6	2
$B + BF_3 = BF + BF_2$	1×10^{11}	0.5	8	2
$B + BH_3 = BH + BH_2$	1×10^{11}	0.5	6	2
$B + B_2O_3 = BO + B_2O_2$	1×10^{11}	0.5	8	2
$B^+ + e + M = B + M$	5×10^{23}	-1.5	0	2
$B + F + M = BF + M$	3×10^{16}	-0.5	0	2
$B^+ + F^- + M = BF + M$	4×10^{17}	-0.5	0	2
$B + F^- = e + BF$	1×10^{11}	0.5	11	2
$B + FH = BF + H$	5×10^{11}	0.5	7	2
$B + FNa = BF + Na$	5×10^{11}	0.5	6	2
$B^+ + FNa = BF + Na^+$	1×10^{11}	0.5	6	2
$B + LiH = Li + BH$	1.5×10^{12}	0.7	5	22
$B + OH^- = BO + H^-$	5×10^{10}	0.5	9	2
$B + HO = BO + H$	5×10^{11}	0.5	6	2
$B + NaH = Na + HB$	9.2×10^{11}	0.7	5	22
$B + HOH = BOH + H$	1×10^{11}	0.5	6	2
$B^+ + O + M = BO^+ + M$	5×10^{11}	0.5	0	2

Table 3. Reactions Involving Boron Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$B + O + M = BO + M$	3×10^{16}	-0.5	0	2
$B^+ + O^- + M = BO + M$	4×10^{17}	-0.5	0	2
$B + O^- = e + BO$	1×10^{11}	0.5	11	2
$B^+ + O_2^- = BO + O$	5×10^{11}	0.5	5	2
$B^+ + O_2 = BO^+ + O$	5×10^{11}	0.5	9	2
$B + O_2 = BO + O$	5×10^{11}	0.5	6	2
$B + O_2^- = BO + O^-$	5×10^{11}	0.5	5	2
$B^+ + NaO = BO^+ + Na$	5×10^{11}	0.5	4	2
$B^+ + NaO = BO + Na^+$	1×10^{11}	0.5	5	2
$B + NaO = BO + Na$	5×10^{11}	0.5	4	2
$B^+ + Na = B + Na^+$	4×10^{11}	0.5	0	2
$BF + B_2O_3 = OBF + B_2O_2$	1×10^{11}	0.5	8	2
$BF + F^- = e + BF_2$	1×10^{11}	0.5	0	2
$BF + HO = OBF + H$	1×10^{11}	0.5	6	2
$BF + O^- = e + FBO$	1×10^{11}	0.5	0	2
$BF + O^- = F^- + BO$	1×10^{11}	0.5	16	2
$BF + O_2 = OBF + O$	1×10^{11}	0.5	6	2
$BF + O_2^- = OBF + O^-$	1×10^{11}	0.5	5	2
$2BF_2 = BF + BF_3$	1×10^{11}	0.5	6	2
$BF_2 + BO = BFO + BF$	1×10^{11}	0.5	6	2

Table 3. Reactions Involving Boron Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BF}_2 + \text{F} = \text{BF}_3$	1×10^{11}	0.5	0	2
$\text{BF}_2 + \text{F}^- = \text{e} + \text{BF}_3$	1×10^{11}	0.5	0	2
$\text{BF}_2 + \text{NaF} = \text{Na} + \text{BF}_3$	1×10^{11}	0.5	6	2
$\text{BF}_2 + \text{H} = \text{BF} + \text{FH}$	1×10^{11}	0.5	6	2
$\text{BF}_2 + \text{O} = \text{OBF} + \text{F}$	1×10^{11}	0.5	6	2
$\text{BF}_2 + \text{Na} = \text{BF} + \text{FNa}$	1×10^{11}	0.5	6	2
$\text{BH} + \text{BH}_3 = 2\text{BH}_2$	1×10^{11}	0.5	4	2
$\text{BH} + \text{C} = \text{B} + \text{CH}$	1.1×10^{12}	0.7	3	22
$\text{BH} + \text{CH}_2 = \text{CH} + \text{BH}_2$	1.05×10^{12}	0.7	27	22
$\text{BH} + \text{CH}_3 = \text{CH}_2 + \text{BH}_2$	4.3×10^{11}	0.7	4	22
$\text{BH} + \text{CH}_4 = \text{CH}_3 + \text{BH}_2$	2.1×10^{12}	0.6	10	22
$\text{BH} + \text{HCN} = \text{CN} + \text{BH}_2$	1.12×10^{12}	0.6	19	22
$\text{BH} + \text{H}_2\text{CO} = \text{HCO} + \text{BH}_2$	1.11×10^{12}	0.6	9	22
$\text{BH} + \text{HCO} = \text{CO} + \text{BH}_2$	2.1×10^{11}	0.5	0	36
$\text{BH} + \text{Cl} = \text{B} + \text{HCl}$	2.4×10^{11}	0.7	5	22
$\text{BH} + \text{F} = \text{B} + \text{HF}$	2.3×10^{11}	0.7	4	22
$\text{BH} + \text{H} + \text{M} = \text{BH}_2 + \text{M}$	3×10^{16}	-0.5	0	2
$\text{BH} + \text{H} = \text{B} + \text{H}_2$	1.4×10^{12}	0.7	2	22
$\text{BH} + \text{NH}_2 = \text{NH} + \text{BH}_2$	5.2×10^{11}	0.6	6	22
$\text{BH} + \text{NH}_3 = \text{NH}_2 + \text{BH}_2$	7.1×10^{11}	0.6	4	22

Table 3. Reactions Involving Boron Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BH} + \text{HNO} = \text{NO} + \text{BH}_2$	1.2×10^{12}	0.5	0	36
$\text{BH} + \text{O} = \text{B} + \text{OH}$	6.6×10^{11}	0.7	1	22
$\text{BH}_2 + \text{H} = \text{BH}_3$	1×10^{11}	0.5	0	2
$\text{BH}_2 + \text{H} = \text{BH} + \text{H}_2$	1×10^{11}	0.5	6	2
$\text{BH}_2 + \text{H}_2 = \text{BH}_3 + \text{H}$	1×10^{11}	0.5	0	2
$2\text{BO} = \text{B}_2\text{O}_2$	1×10^{11}	0.5	0	2
$\text{BO} + \text{CH}_2 = \text{CH} + \text{HBO}$	4.1×10^{11}	0.5	0	36
$\text{BO} + \text{CH}_3 = \text{CH}_2 + \text{HBO}$	6.3×10^{11}	0.6	6	22
$\text{BO} + \text{CH}_4 = \text{CH}_3 + \text{HBO}$	1.2×10^{12}	0.6	16	22
$\text{BO} + \text{HCO} = \text{CO} + \text{HBO}$	1.4×10^{11}	0.5	0	36
$\text{BO} + \text{H}_2\text{CO} = \text{HCO} + \text{HBO}$	5.5×10^{11}	0.6	16	22
$\text{BO}^+ + \text{e} + \text{M} = \text{BO} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{BO}^+ + \text{F}^- + \text{M} = \text{FBO} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{BO} + \text{F} = \text{BF} + \text{O}$	1×10^{11}	0.5	11	2
$\text{BO} + \text{F}^- = \text{e} + \text{FBO}$	1×10^{11}	0.5	0	2
$\text{BO} + \text{FH} = \text{FBO} + \text{H}$	1×10^{11}	0.5	7	2
$\text{BO} + \text{FNa} = \text{FBO} + \text{Na}$	1×10^{11}	0.5	6	2
$\text{BO}^+ + \text{H}^- + \text{M} = \text{HBO} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{BO} + \text{H}^- = \text{HBO} + \text{e}$	1×10^{11}	0.5	0	2
$\text{BO} + \text{H}_2 = \text{HBO} + \text{H}$	1×10^{11}	0.5	6	2

Table 3. Reactions Involving Boron Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{BO}^+ + \text{OH}^- = \text{HBO}_2$	1×10^{11}	0.5	0	2
$\text{BO} + \text{HO} = \text{HBO} + \text{O}$	1×10^{11}	0.5	6	2
$\text{BO} + \text{HO}^- = \text{HBO} + \text{O}^-$	1×10^{11}	0.5	6	2
$\text{BO} + \text{HO} = \text{HBO}_2$	1×10^{11}	0.5	0	2
$\text{BO} + \text{HO}^- = \text{e} + \text{HBO}_2$	1×10^{11}	0.5	0	2
$\text{BO} + \text{HNa} = \text{HBO} + \text{Na}$	1×10^{11}	0.5	3	2
$\text{BO} + \text{H}_2\text{O} = \text{HBO} + \text{OH}$	1×10^{11}	0.5	6	2
$\text{BO} + \text{NaOH} = \text{HBO} + \text{K}_2\text{O}$	1×10^{11}	0.5	7	2
$\text{BO} + \text{NaOH} = \text{Na} + \text{HBO}_2$	1×10^{11}	0.5	5	2
$\text{BO}^+ + \text{Na} = \text{BO} + \text{Na}^+$	4×10^{11}	0.5	0	2
$\text{B}_2\text{O}_2 + \text{OH} = \text{H} + \text{B}_2\text{O}_3$	1×10^{11}	0.5	6	2
$\text{B}_2\text{O}_2 + \text{O} = \text{B}_2\text{O}_3$	1×10^{11}	0.5	0	2
$\text{B}_2\text{O}_2 + \text{O}^- = \text{e} + \text{B}_2\text{O}_3$	1×10^{11}	0.5	0	2
$\text{B}_2\text{O}_2 + \text{O}_2 = \text{B}_2\text{O}_3 + \text{O}$	1×10^{11}	0.5	6	2
$\text{B}_2\text{O}_2 + \text{O}_2^- = \text{O}^- + \text{B}_2\text{O}_3$	1×10^{11}	0.5	5	2
$\text{B}_2\text{O}_2 + \text{NaO} = \text{Na} + \text{B}_2\text{O}_3$	1×10^{11}	0.5	4	2
$\text{HBO} + \text{CH} = \text{BO} + \text{CH}_2$	4.4×10^{11}	0.5	0	36
$\text{HBO} + \text{CN} = \text{BO} + \text{HCN}$	3.1×10^{11}	0.5	0	36
$\text{HBO} + \text{F} = \text{BO} + \text{FH}$	1×10^{11}	0.5	6	2
$\text{HBO} + \text{F} = \text{FBO} + \text{H}$	1×10^{11}	0.5	6	2

Table 3. Reactions Involving Boron Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{HBO} + \text{F} = \text{BF} + \text{HO}$	1×10^{11}	0.5	6	2
$\text{HBO} + \text{O}_2^- = \text{O}^- + \text{HBO}_2$	1×10^{11}	0.5	5	2
$\text{HBO} + \text{O}_2 = \text{O} + \text{HBO}_2$	1×10^{11}	0.5	6	2
$\text{HBO} + \text{NaO} = \text{Na} + \text{HBO}_2$	1×10^{11}	0.5	4	2
$\text{HBO}_2 + \text{H} = \text{H}_2\text{O} + \text{BO}$	1×10^{11}	0.5	4	2
$\text{HBO}_2 + \text{H} = \text{BOH} + \text{OH}$	1×10^{11}	0.5	7	2
$\text{HBO}_2 + \text{F} = \text{FBO} + \text{OH}$	1×10^{11}	0.5	7	2
$\text{HBO}_2 + \text{F}^- = \text{FBO} + \text{OH}^-$	5×10^{10}	0.5	7	2

Table 4. Reactions Involving Carbon
And Carbon-Hydrogen Species

Reaction	$A, \frac{\text{cc}}{\text{mole-sec}}$	n	$E_a, \frac{\text{kcal}}{\text{mole}}$	Reference
$\text{C} + \text{C} + \text{M} = \text{C}_2 + \text{M}$	1×10^{16}	-0.5	0	2
$\text{C} + \text{C}_2 + \text{M} = \text{C}_3 + \text{M}$	1×10^{16}	-0.5	0	2
$\text{C} + \text{C}_2\text{H} = \text{C}_2 + \text{CH}$	5×10^{11}	0.5	4	2
$\text{C} + \text{H}_2\text{C} = 2\text{CH}$	5×10^{11}	0.5	18	2
$\text{C} + \text{CH}_4 = \text{CH} + \text{CH}_3$	5×10^{11}	0.5	6	2
$\text{C} + \text{CH}_2\text{O} = \text{CHO} + \text{CH}$	3×10^{10}	0.5	3	11
$\text{C} + \text{HCO} = \text{CO} + \text{HC}$	5×10^{11}	0.5	4	2
$\text{C} + \text{CO}_2 = 2\text{CO}$	5×10^{11}	0.5	4	2
$\text{C} + \text{H} + \text{M} = \text{CH} + \text{M}$	2×10^{16}	-0.5	0	1
$\text{C} + \text{OH} + \text{M} = \text{CHO} + \text{M}$	3×10^{15}	-0.5	0	2
$\text{C} + \text{OH} = \text{CO} + \text{H}$	5×10^{11}	0.5	4	2
$\text{C} + \text{LiH} = \text{Li} + \text{CH}$	1.7×10^{12}	0.7	9	22
$\text{C} + \text{O} + \text{M} = \text{CO} + \text{M}$	1×10^{16}	-0.5	0	2
$\text{C} + \text{O}_2 = \text{CO} + \text{O}$	5×10^{11}	0.5	4	2
$2\text{C}_2 = \text{C}_3 + \text{C}$	5×10^{11}	0.5	6	2
$\text{C}_2 + \text{CH} = \text{H} + \text{C}_3$	5×10^{11}	0.5	6	2
$\text{C}_2 + \text{CHO} = \text{CO} + \text{C}_2\text{H}$	5×10^{11}	0.5	6	2
$\text{C}_2 + \text{CH}_2\text{O} = \text{CHO} + \text{C}_2\text{H}$	2×10^{10}	0.5	6	11
$\text{C}_2 + \text{H} = \text{C} + \text{CH}$	5×10^{11}	0.5	10	1
$\text{C}_2 + \text{H} = \text{C}_2\text{H}$	5×10^{11}	0.5	0	1

Table 4. Reactions Involving Carbon
And Carbon-Hydrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$C_2 + O = CO + C$	5×10^{11}	0.5	4	2
$C_3 + OH = C_2 + CHO$	1×10^{10}	0.5	10	2
$C_3 + O = C_2 + CO$	5×10^{11}	0.5	4	2
$CH + C_2H = C + C_2H_2$	5×10^{11}	0.5	6	2
$CH + C_2H = C_2 + CH_2$	1×10^{11}	0.5	40	1
$2CH = C_2H_2$	5×10^{11}	0.5	6	2
$CH + CH_2 = C + CH_3$	5×10^{11}	0.5	6	2
$CH + CH_3 = 2CH_2$	1.2×10^{11}	0.7	5	22
$CH + CH_4 = CH_3 + CH_2$	2.4×10^{11}	0.7	6	22
$CH + CH_4 = CH_3 + CH_2$	5×10^{11}	0.5	6	2
$CH + HCN = CN + CH_2$	3.3×10^{11}	0.6	8	22
$CH + CHO = CO + CH_2$	5×10^{11}	0.5	6	2
$CH + CH_2O = CHO + CH_2$	2×10^{10}	0.5	5	11
$CH + H_2CO = HCO + CH_2$	1.1×10^{11}	0.7	4	22
$CH + HCO = CO + CH_2$	3×10^{10}	0.7	1	22
$CH + CO_2 = CO + CHO$	1×10^{10}	0.5	6	2
$CH + Cl = C + HCl$	3.2×10^{11}	0.7	1	22
$CH + F = C + HF$	3.0×10^{11}	0.7	1	22
$CH + H = C + H_2$	6.4×10^{11}	0.7	2	22
$CH + H = CH_2$	5×10^{11}	0.5	0	1

Table 4. Reactions Involving Carbon
And Carbon-Hydrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CH} + \text{NH}_2 = \text{NH} + \text{CH}_2$	3×10^{10}	0.7	2	22
$\text{CH} + \text{NH}_3 = \text{NH}_2 + \text{CH}_2$	5×10^{10}	0.7	2	22
$\text{CH} + \text{OH} = \text{H} + \text{CHO}$	5×10^{11}	0.5	10	2
$\text{CH} + \text{OH} = \text{C} + \text{H}_2\text{O}$	5×10^{11}	0.5	6	2
$\text{CH} + \text{HNO} = \text{NO} + \text{CH}_2$	6.3×10^{11}	0.5	0	36
$\text{CH} + \text{HO}_2 = \text{O}_2 + \text{CH}_2$	1×10^{10}	0.5	15	2
$\text{CH} + \text{HO}_2 = \text{OH} + \text{CHO}$	5×10^{11}	0.5	6	2
$\text{CH} + \text{NaOH} = \text{NaO} + \text{CH}_2$	9.9×10^{11}	0.6	5	22
$\text{CH} + \text{N} = \text{C} + \text{NH}$	4.5×10^{11}	0.7	2	22
$\text{CH} + \text{O} = \text{C} + \text{OH}$	2.5×10^{11}	0.7	2	22
$\text{CH} + \text{O}^- = \text{HCO} + \text{e}$	1×10^{11}	0.5	0	2
$\text{CH} + \text{O} + \text{M} = \text{CHO} + \text{M}$	1×10^{16}	-0.5	0	2
$\text{CH} + \text{O} = \text{H} + \text{CO}$	5×10^{11}	0.5	4	2
$\text{CH} + \text{O}_2 = \text{O} + \text{CHO}$	5×10^{11}	0.5	6	2
$2\text{C}_2\text{H} = \text{C}_2 + \text{C}_2\text{H}_2$	1×10^{10}	0.5	6	2
$\text{C}_2\text{H} + \text{H} = \text{C}_2 + \text{H}_2$	5×10^{11}	0.5	35	1
$\text{C}_2\text{H} + \text{H} = \text{C}_2\text{H}_2$	5×10^{11}	0.5	0	1
$\text{C}_2\text{H} + \text{H} = 2\text{CH}$	5×10^{11}	0.5	50	2
$\text{C}_2\text{H} + \text{CH}_2 = \text{CH} + \text{C}_2\text{H}_2$	5×10^{11}	0.5	6	2
$\text{C}_2\text{H} + \text{CH}_2 = \text{C}_2 + \text{CH}_3$	1×10^{11}	0.5	6	2

Table 4. Reactions Involving Carbon
And Carbon-Hydrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$C_2H + CH_3 = C_2 + CH_4$	1×10^{11}	0.5	6	2
$C_2H + CH_3 = CH_2 + C_2H_2$	1×10^{11}	0.5	6	2
$C_2H + CHO = CO + C_2H_2$	1×10^{11}	0.5	6	2
$C_2H + CH_2O = CHO + C_2H_2$	3×10^{10}	0.5	6	11
$C_2H + CH_4 = CH_3 + C_2H_2$	1×10^{10}	0.5	6	11
$C_2H + OH = O + C_2H_2$	5×10^{11}	0.5	6	2
$C_2H + OH = C_2 + H_2O$	5×10^{11}	0.5	6	2
$C_2H + H_2O = C_2H_2 + OH$	1×10^{10}	0.5	6	2
$C_2H + O = CH + CO$	5×10^{11}	0.5	4	2
$C_2H + O = C_2 + OH$	5×10^{11}	0.5	4	2
$C_2H_2 + H = C_2H + H_2$	5×10^{11}	0.5	15	1
$2CH_2 = CH + CH_3$	5×10^{11}	0.5	6	2
$CH_2 + CH_4 = 2CH_3$	1.21×10^{12}	0.7	20	11,22
$CH_2 + HCO = CO + CH_3$	3×10^{10}	0.7	1	22
$CH_2 + CH_2O = CHO + CH_3$	3×10^{10}	0.5	6	11
$CH_2 + Cl = CH + HCl$	3.6×10^{11}	0.7	29	22
$CH_2 + F = CH + HF$	8×10^{10}	0.7	5	22
$CH_2 + H = CH + H_2$	2.9×10^{11}	0.7	26	1,22
$CH_2 + H_2 = H + CH_3$	1×10^{10}	0.5	10	11
$CH_2 + OH = O + CH_3$	5×10^{11}	0.5	6	2

Table 4. Reactions Involving Carbon
And Carbon-Hydrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CH}_2 + \text{OH} = \text{CH} + \text{H}_2\text{O}$	5×10^{11}	0.5	6	2
$\text{CH}_2 + \text{HNO} = \text{NO} + \text{CH}_3$	6.8×10^{11}	0.5	r	36
$\text{CH}_2 + \text{H}_2\text{O} = \text{OH} + \text{CH}_3$	1×10^{10}	0.5	10	2
$\text{CH}_2 + \text{O} = \text{CH} + \text{OH}$	3.2×10^{11}	0.7	26	2
$\text{CH}_2 + \text{O} = \text{H} + \text{CHO}$	5×10^{11}	0.5	4	2
$\text{CH}_2 + \text{O}_2 = \text{H}_2\text{CO} + \text{O}$	5×10^{11}	0.5	7	2
$\text{CH}_3 + \text{CN} = \text{CH}_2 + \text{HCN}$	9×10^{10}	0.7	3	22
$\text{CH}_3 + \text{HCO} = \text{CH}_2 + \text{H}_2\text{CO}$	1.5×10^{11}	0.7	4	22
$\text{CH}_3 + \text{HCO} = \text{CO} + \text{CH}_4$	3.0×10^{11}	0.5	0	36
$\text{CH}_3 + \text{H}_2\text{CO} = \text{CHO} + \text{CH}_4$	1×10^{10}	0.5	6	12
$\text{CH}_3 + \text{Cl} = \text{CH}_2 + \text{HCl}$	2.2×10^{11}	0.7	8	22
$\text{CH}_3 + \text{F} = \text{CH}_2 + \text{HF}$	6×10^{10}	0.7	1	22
$\text{CH}_3 + \text{H} = \text{CH}_2 + \text{H}_2$	1.8×10^{11}	0.7	3	22
$\text{CH}_3 + \text{H} = \text{CH}_4$	5×10^{11}	0.5	0	2
$\text{CH}_3 + \text{H}_2 = \text{H} + \text{CH}_4$	1×10^{10}	0.5	10	12
$\text{CH}_3 + \text{NH} = \text{CH}_2 + \text{NH}_2$	9×10^{10}	0.7	2	22
$\text{CH}_3 + \text{NH}_2 = \text{CH}_2 + \text{NH}_3$	1.7×10^{11}	0.7	2	22
$\text{CH}_3 + \text{HNO} = \text{NO} + \text{CH}_4$	5.0×10^{11}	0.5	0	36
$\text{CH}_3 + \text{OH} = \text{CH}_2 + \text{H}_2\text{O}$	6×10^{10}	0.7	2	22
$\text{CH}_3 + \text{HO}_2 = \text{CH}_4 + \text{O}_2$	1×10^{11}	0.5	6	2

Table 4. Reactions Involving Carbon
And Carbon-Hydrogen Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CH}_3 + \text{O} = \text{CH}_2\text{O} + \text{H}$	1.9×10^{13}	0.0	0	16
$\text{CH}_3 + \text{O} = \text{CH}_2 + \text{OH}$	1×10^{11}	0.5	17	2
$\text{CH}_3 + \text{NaO} = \text{CH}_2 + \text{NaOH}$	1.3×10^{12}	0.5	0	36
$\text{CH}_4 + \text{CN} = \text{CH}_3 + \text{HCN}$	2.9×10^{11}	0.7	5	22
$\text{CH}_4 + \text{HCO} = \text{CH}_3 + \text{H}_2\text{CO}$	8.6×10^{11}	0.6	9	22
$\text{CH}_4 + \text{Cl} = \text{CH}_3 + \text{HCl}$	6.9×10^{11}	0.6	13	22
$\text{CH}_4 + \text{F} = \text{CH}_3 + \text{HF}$	9×10^{10}	0.7	1	22
$\text{CH}_4 + \text{H} = \text{CH}_3 + \text{H}_2$	4.4×10^{11}	0.7	7	22
$\text{CH}_4 + \text{NH} = \text{CH}_3 + \text{NH}_2$	5.9×10^{11}	0.6	7	22
$\text{CH}_4 + \text{NH}_2 = \text{CH}_3 + \text{NH}_3$	9.5×10^{11}	0.6	8	22
$\text{CH}_4 + \text{OH} = \text{CH}_3 + \text{H}_2\text{O}$	3.5×10^{14}	0.0	9	16
$\text{CH}_4 + \text{O} = \text{CH}_3 + \text{OH}$	4.0×10^{11}	0.5	8	37
$\text{CH}_4 + \text{NaO} = \text{CH}_3 + \text{NaOH}$	1.6×10^{11}	0.7	1	22

Table 5. Reactions Involving Carbon-Nitrogen
And Carbon-Oxygen Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CN} + \text{CHO} = \text{HCN} + \text{CO}$	1.9×10^{11}	0.5	0	36
$\text{CN} + \text{H}_2\text{CO} = \text{HCO} + \text{HCN}$	1.2×10^{11}	0.7	3	22
$\text{CN} + \text{Cl}^- = \text{CN}^- + \text{Cl}$	5×10^{11}	0.5	0	2
$\text{CN} + \text{HCl} = \text{HCN} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{CN}^- + \text{F} = \text{F}^- + \text{CN}$	4×10^{11}	0.5	0	2
$\text{CN} + \text{H} + \text{M} = \text{HCN} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{CN}^- + \text{H} = \text{HCN} + \text{e}$	1×10^{11}	0.5	0	2
$\text{CN} + \text{H}^- = \text{CN}^- + \text{H}$	4×10^{11}	0.5	0	2
$\text{CN} + \text{H}^- = \text{HCN} + \text{e}$	5×10^{11}	0.5	0	2
$\text{CN} + \text{H}_2 = \text{HCN} + \text{H}$	1×10^{11}	0.5	6	2
$\text{CN} + \text{NH} = \text{HCN} + \text{N}$	1×10^{11}	0.5	2	2
$\text{CN} + \text{NH}_2 = \text{HCN} + \text{NH}$	5×10^{10}	0.7	2	22
$\text{CN} + \text{NH}_3 = \text{HCN} + \text{NH}_2$	7×10^{10}	0.7	2	22
$\text{CN} + \text{OH} = \text{HCN} + \text{O}$	1×10^{11}	0.5	6	2
$\text{CN} + \text{OH}^- = \text{CN}^- + \text{OH}$	4×10^{11}	0.5	0	2
$\text{CN} + \text{HNO} = \text{HCN} + \text{NO}$	3.8×10^{11}	0.5	0	36
$\text{CN}^- + \text{H}_3\text{O}^+ = \text{HCN} + \text{H}_2\text{O}$	1×10^{11}	0.5	0	2
$\text{CN} + \text{NaH} = \text{HCN} + \text{Na}$	1×10^{11}	0.5	3	2
$\text{CN} + \text{HO}^- = \text{HCN} + \text{O}^-$	1×10^{11}	0.5	9	2
$\text{CN} + \text{O}^- = \text{CN}^- + \text{O}$	5×10^{11}	0.5	0	2

Table 5. Reactions Involving Carbon-Nitrogen
And Carbon-Oxygen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CN} + \text{O}_2^- = \text{CN}^- + \text{O}_2$	4×10^{11}	0.5	0	2
$\text{HCN} + \text{Cl} = \text{CN} + \text{HCl}$	4.5×10^{11}	0.6	20	22
$\text{HCN} + \text{F} = \text{CN} + \text{HF}$	4×10^{10}	0.7	1	22
$\text{HCN} + \text{H} = \text{CN} + \text{H}_2$	2.6×10^{11}	0.7	18	22
$\text{HCN} + \text{OH} = \text{CN} + \text{H}_2\text{O}$	2.0×10^{11}	0.6	5	22
$\text{HCN} + \text{LiO} = \text{CN} + \text{LiOH}$	1×10^{11}	0.5	6	2
$\text{HCN} + \text{O} = \text{CN} + \text{OH}$	2.8×10^{11}	0.7	17	22
$\text{HCN} + \text{NaO} = \text{CN} + \text{NaOH}$	3.6×10^{11}	0.6	2	22
$\text{CO} + \text{C}_2\text{O} = \text{C}_2 + \text{CO}_2$	1×10^{11}	0.5	6	2
$\text{CO} + \text{H}^- = \text{CHO} + \text{e}$	5×10^{11}	0.5	0	2
$\text{CO} + \text{OH} = \text{H} + \text{CO}_2$	3×10^{11}	0.0	0.6	38
$\text{CO} + \text{HNO} = \text{HN} + \text{CO}_2$	1×10^{11}	0.5	7	2
$\text{CO} + \text{LiO} = \text{CO}_2 + \text{Li}$	1×10^{11}	0.5	5	2
$\text{CO} + \text{NO}_2 = \text{NO} + \text{CO}_2$	2×10^{11}	0.5	5	2
$\text{CO} + \text{N}_2\text{O} = \text{N}_2 + \text{CO}_2$	1×10^{11}	0.5	3	2
$\text{CO} + \text{O} + \text{M} = \text{CO}_2 + \text{M}$	1×10^{16}	0.0	3.5	26
$\text{CO} + \text{O}^- = \text{CO}_2 + \text{e}$	1×10^{11}	0.5	0	2
$\text{CO} + \text{O}_2 = \text{O} + \text{CO}_2$	3.5×10^{12}	0.0	51	39
$\text{CO} + \text{NaO} = \text{CO}_2 + \text{Na}$	1×10^{11}	0.5	4	2
$\text{C}_2\text{O} + \text{M} = \text{CO} + \text{C} + \text{M}$	1×10^{17}	0.0	100	2
$\text{C}_2\text{O} + \text{O} = 2\text{CO}$	5×10^{11}	0.5	4	2

Table 5. Reactions Involving Carbon-Nitrogen
And Carbon-Oxygen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CO}_2 + \text{H}_2 = \text{CO} + \text{H}_2\text{O}$	1×10^9	0.5	15	2
$\text{CO}_2 + \text{N} = \text{CO} + \text{NO}$	2×10^{11}	0.5	8	2
$\text{CO}_2 + \text{O} = \text{CO} + \text{O}_2$	5×10^{11}	0.5	8	2
$\text{CHO} + \text{M} = \text{CO} + \text{H} + \text{M}$	1×10^{15}	0.5	23	6
$2\text{HCO} = \text{CO} + \text{H}_2\text{CO}$	1.4×10^{11}	0.5	0	36
$\text{HCO} + \text{Cl} = \text{CO} + \text{HCl}$	9×10^{10}	0.5	0	36
$\text{CHO}^+ + \text{e} + \text{M} = \text{CHO} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{HCO} + \text{F} = \text{CO} + \text{HF}$	1.1×10^{11}	0.5	0	36
$\text{HCO} + \text{H} = \text{CO} + \text{H}_2$	1.5×10^{12}	0.5	0	36
$\text{HCO} + \text{NH} = \text{CO} + \text{NH}_2$	1.4×10^{11}	0.5	0	36
$\text{HCO} + \text{NH}_2 = \text{CO} + \text{NH}_3$	2.6×10^{11}	0.5	0	36
$\text{HCO} + \text{NH}_2 = \text{NH} + \text{H}_2\text{CO}$	1.3×10^{11}	0.6	4	22
$\text{HCO} + \text{NH}_3 = \text{NH}_2 + \text{H}_2\text{CO}$	3.0×10^{11}	0.6	3	22
$\text{HCO} + \text{HNO} = \text{NO} + \text{H}_2\text{CO}$	3.2×10^{11}	0.5	0	36
$\text{HCO} + \text{OH} = \text{CO} + \text{H}_2\text{O}$	1.1×10^{11}	0.5	0	36
$\text{CHO} + \text{Li} = \text{CO} + \text{LiH}$	1×10^{11}	0.5	2	2
$\text{CHO} + \text{Li}^+ = \text{CHO}^+ + \text{Li}$	4×10^{11}	0.5	0	2
$\text{CHO} + \text{N} = \text{CO} + \text{NH}$	2×10^{11}	0.5	2	2
$\text{CHO} + \text{NO} = \text{CO} + \text{HNO}$	2×10^{11}	0.5	2	2
$\text{HCO} + \text{O} = \text{CO} + \text{OH}$	1.8×10^{11}	0.5	0	36

Table 5. Reactions Involving Carbon-Nitrogen
And Carbon-Oxygen Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{CHO} + \text{O}^- = \text{CO} + \text{OH}^-$	1×10^{11}	0.5	2	2
$\text{HCO} + \text{NaO} = \text{CO} + \text{NaOH}$	1.8×10^{11}	0.5	0	36
$\text{CHO} + \text{Na} = \text{CO} + \text{NaH}$	1×10^{11}	0.5	2	2
$\text{CH}_2\text{O} = \text{H} + \text{CHO}$	3×10^{17}	0.0	87	7
$\text{H}_2\text{CO} + \text{Cl} = \text{HCO} + \text{HCl}$	3.5×10^{11}	0.6	11	22
$\text{H}_2\text{CO} + \text{F} = \text{HCO} + \text{HF}$	4.1×10^{11}	0.5	0	36
$\text{H}_2\text{CO} + \text{H} = \text{CHO} + \text{H}_2$	1×10^{13}	0.0	2	6
$\text{H}_2\text{CO} + \text{OH} = \text{HCO} + \text{H}_2\text{O}$	5×10^{10}	0.7	1	22
$\text{H}_2\text{CO} + \text{O} = \text{HCO} + \text{OH}$	4.0×10^{11}	0.6	4	22
$\text{H}_2\text{CO} + \text{NaO} = \text{HCO} + \text{NaOH}$	7.2×10^{11}	0.5	0	36

Table 6. Reactions Involving Lithium Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Li} + \text{Cl} + \text{M} = \text{ClLi} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Li}^+ + \text{Cl}^- + \text{M} = \text{LiCl} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Li} + \text{Cl}_2 = \text{LiCl} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Li}^+ + e + \text{M} = \text{Li} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{Li} + \text{M} + \text{F} = \text{LiF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Li}^+ + \text{F}^- + \text{M} = \text{LiF} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Li} + \text{F}_2 = \text{LiF} + \text{F}$	5×10^{11}	0.5	2	2
$\text{Li} + \text{H} + \text{M} = \text{LiH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Li}^+ + \text{H}^- + \text{M} = \text{LiH} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Li} + \text{H}^- = e + \text{LiH}$	5×10^{11}	0.5	0	2
$\text{Li} + \text{HCl} = \text{LiCl} + \text{H}$	1×10^{11}	0.5	6	2
$\text{Li}^+ + \text{OH}^- + \text{M} = \text{LiOH} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Li} + \text{OH} + \text{M} = \text{LiOH} + \text{H}$	3×10^{16}	-0.5	0	2
$\text{Li} + \text{OH} = \text{LiO} + \text{H}$	5×10^{11}	0.5	6	2
$\text{Li} + \text{HOH} = \text{LiOH} + \text{H}$	1×10^{11}	0.5	6	2
$\text{Li} + \text{H}_3\text{O}^+ = \text{Li}^+ + \text{H} + \text{H}_2\text{O}$	1×10^{11}	0.5	0	2
$\text{Li} + \text{NO}^+ = \text{Li}^+ + \text{NO}$	4×10^{11}	0.5	0	2
$\text{Li}^+ + \text{O}^- + \text{M} = \text{LiO} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Li} + \text{O} + \text{M} = \text{LiO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Li}^+ + \text{O}_2^- = \text{LiO} + \text{O}$	5×10^{12}	0.5	5	2
$\text{LiCl} + \text{O}^- = \text{LiO} + \text{Cl}^-$	1×10^{11}	0.5	6	2

Table 6. Reactions Involving Lithium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{LiF} + \text{H} = \text{HF} + \text{Li}$	1×10^{11}	0.5	7	2
$\text{LiH} + \text{Cl} = \text{Li} + \text{HCl}$	2.0×10^{11}	0.7	12	22
$\text{LiH} + \text{Cl} = \text{H} + \text{LiCl}$	5×10^{11}	0.5	3	2
$\text{LiH} + \text{F} = \text{H} + \text{LiF}$	5×10^{11}	0.5	3	2
$\text{LiH} + \text{F} = \text{Li} + \text{HF}$	2.4×10^{11}	0.7	8	22
$\text{LiH} + \text{H} = \text{Li} + \text{H}_2$	9.6×10^{11}	0.7	6	22
$\text{LiH} + \text{NH} = \text{Li} + \text{NH}_2$	1×10^{11}	0.5	3	2
$\text{LiH} + \text{OH} = \text{Li} + \text{H}_2\text{O}$	1×10^{11}	0.5	3	2
$\text{LiH} + \text{LiO} = \text{Li} + \text{LiOH}$	1×10^{11}	0.5	3	2
$\text{LiH} + \text{NaO} = \text{Li} + \text{NaOH}$	1×10^{11}	0.5	3	2
$\text{LiH} + \text{O} = \text{Li} + \text{OH}$	5.1×10^{11}	0.7	6	22
$\text{LiOH} + \text{F} = \text{HF} + \text{LiO}$	1×10^{11}	0.5	7	2
$\text{LiO} + \text{Cl} = \text{LiCl} + \text{O}$	5×10^{11}	0.5	5	2
$\text{LiO} + \text{HCl} = \text{LiOH} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{LiO} + \text{F} = \text{LiF} + \text{O}$	5×10^{11}	0.5	5	2
$\text{LiO} + \text{F}^- = \text{LiF} + \text{O}^-$	1×10^{11}	0.5	6	2
$\text{LiO} + \text{H} = \text{LiH} + \text{O}$	1×10^{11}	0.5	5	2
$\text{LiO} + \text{H}^- = \text{Li} + \text{OH}^-$	5×10^{11}	0.5	5	2
$\text{LiO} + \text{H}_2 = \text{LiOH} + \text{H}$	1×10^{11}	0.5	6	2
$\text{LiO} + \text{NH} = \text{LiOH} + \text{N}$	1×10^{11}	0.5	5	2

Table 6. Reactions Involving Lithium Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{LiO} + \text{NH}_2 = \text{LiOH} + \text{NH}$	1×10^{11}	0.5	5	2
$\text{LiO} + \text{OH} = \text{LiOH} + \text{O}$	1×10^{11}	0.5	5	2
$\text{LiO} + \text{OH}^- = \text{LiOH} + \text{O}^-$	1×10^{11}	0.5	9	2
$\text{LiO} + \text{H}_2\text{O} = \text{LiOH} + \text{OH}$	1×10^{11}	0.5	6	2
$\text{LiO} + \text{NaH} = \text{LiOH} + \text{Na}$	1×10^{11}	0.5	3	2
$\text{LiO} + \text{N} = \text{Li} + \text{NO}$	5×10^{11}	0.5	5	2
$\text{LiO} + \text{O} = \text{Li} + \text{O}_2$	5×10^{11}	0.5	5	2
$\text{LiO} + \text{O}^- = \text{Li} + \text{O}_2^-$	5×10^{11}	0.5	5	2

Table 7. Reactions Involving Nitrogen Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$N + N_2 = 3N$	4×10^{16}	-0.5	225	30
$N + NH = H + N_2$	5×10^{11}	0.5	2	13
$N + NH_2 = 2NH$	5×10^{11}	0.5	2	13
$N + NH_3 = NH_2 + NH$	5×10^{11}	0.5	2	13
$N + HNO = NH + NO$	1×10^{11}	0.5	2	2
$HNO + N = H + N_2O$	5×10^{10}	0.5	3	2
$N + H + M = NH + M$	3×10^{16}	-0.5	0	2
$N + OH + M = HNO + M$	1×10^{15}	-0.5	100	2
$N + OH = H + NO$	5×10^{11}	0.5	5	2
$N + NO = 2N + O$	1.12×10^{20}	-1.0	151	5,25
$N + O^- = NO + e$	1×10^{11}	0.5	0	2
$N + O_2 = O + NO$	1.33×10^{10}	1.0	7	25
$N + O_2^- = NO + O^-$	5×10^{11}	0.5	6	2
$N + NaO = NO + Na$	5×10^{11}	0.5	4	2
$2N_2 = 2N + N_2$	5.4×10^{17}	-0.5	225	30
$N_2 + Ar = 2N + Ar$	4×10^{16}	-0.5	225	30
$N_2 + M = 2N + M$	1.9×10^{19}	-1.0	225	5
$N_2 + NO = 2N + NO$	1.5×10^{16}	-0.5	225	30
$N_2 + NO = N + O + N_2$	5.6×10^{18}	-1.0	151	5,25

Table 7. Reactions Involving Nitrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$N_2 + NO = N_2O + N$	8×10^7	0.0	121	5
$N_2 + NO_2 = N_2O + NO$	1.4×10^{14}	0.0	83	5
$N_2 + O = NO + N$	6.8×10^{13}	0.0	75	5
$N_2 + O = 2N + O$	1.5×10^{16}	-0.5	225	30
$N_2 + e + O = O^- + N_2$	3×10^{16}	0.0	0	42
$N_2 + O_2 = 2N + O_2$	1.5×10^{16}	-0.5	225	30
$N_2 + O_2 = N_2O + O$	4×10^{12}	0.0	106	5
$N_2 + O_2 = 2NO$	2×10^{14}	0.0	122	5
$N_2 + O_2 = NO_2 + N$	1.7×10^{11}	0.0	136	5
$N_2 + O_2 + e = O_2^- + N_2$	3×10^{16}	0.0	0	43
$NH + Cl = N + HCl$	2.2×10^{12}	0.68	0.2	22
$NH + F = N + HF$	1.4×10^{12}	0.68	0.6	22
$NH + H + M = NH_2 + M$	2×10^{16}	-0.5	0	13
$NH + H = N + H_2$	1.0×10^{12}	0.68	1.9	22
$NH + H^- = NH_2 + e$	5×10^{11}	0.5	0	2
$NH + HNO = NO + NH_2$	2×10^{11}	0.5	2	13
$NH + HO = N + H_2O$	5×10^{11}	0.5	2	2
$NH + NaH = NH_2 + Na$	1×10^{11}	0.5	3	2
$N_2O + NH = N_2 + HNO$	1×10^{11}	0.5	3	2
$NO_2 + NH = NO + HNO$	2×10^{11}	0.5	5	2
$NH + O + M = HNO + M$	1×10^{16}	-0.5	0	2

Table 7. Reactions Involving Nitrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{NH} + \text{O} = \text{H} + \text{NO}$	5×10^{11}	0.5	5	13
$\text{NH} + \text{O} = \text{N} + \text{OH}$	8.4×10^{12}	0.7	0.1	22
$\text{NH} + \text{O}^- = \text{N} + \text{OH}^-$	5×10^{11}	0.5	5	2
$\text{NH} + \text{NaO} = \text{NaOH} + \text{N}$	1×10^{11}	0.5	5	2
$\text{NH}_2 + \text{Cl} = \text{NH} + \text{HCl}$	5.1×10^{11}	0.5	0	36
$\text{NH}_2 + \text{F} = \text{NH} + \text{HF}$	6.2×10^{11}	0.5	0	36
$\text{NH}_2 + \text{H} = \text{NH} + \text{H}_2$	1.4×10^{11}	0.7	4	22
$\text{NH}_2 + \text{H} = \text{H}_2 + \text{NH}$	5×10^{11}	0.5	2	13
$\text{NH}_2 + \text{H} = \text{NH}_3$	5×10^{11}	0.5	0	2
$2\text{NH}_2 = \text{NH} + \text{NH}_3$	1×10^{12}	0.5	3	2,14
$\text{NH}_2 + \text{HNO} = \text{NO} + \text{NH}_3$	6.1×10^{11}	0.5	0	13,36
$\text{NH}_2 + \text{OH} = \text{NH} + \text{H}_2\text{O}$	3×10^{10}	0.7	1	22
$\text{NH}_2 + \text{O}^- = \text{NH} + \text{OH}^-$	1×10^{11}	0.5	5	2
$\text{NH}_2 + \text{O} = \text{NH} + \text{OH}$	9.2×10^{11}	0.5	0	36
$\text{NH}_2 + \text{NaO} = \text{NH} + \text{NaOH}$	1.2×10^{12}	0.5	0	36
$\text{NH}_3 + \text{Cl} = \text{NH}_2 + \text{HCl}$	4.5×10^{11}	0.5	0	36
$\text{NH}_3 + \text{F} = \text{NH}_2 + \text{HF}$	4.3×10^{11}	0.5	0	36
$\text{NH}_3 + \text{H} = \text{NH}_2 + \text{H}_2$	1.9×10^{11}	0.7	3	22
$\text{NH}_3 + \text{OH} = \text{NH}_2 + \text{H}_2\text{O}$	4×10^{10}	0.7	1	22
$\text{NH}_3 + \text{H} = \text{NH}_2 + \text{H}_2$	5×10^{11}	0.5	2	13

Table 7. Reactions Involving Nitrogen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{NH}_3 + \text{O} = \text{NH}_2 + \text{OH}$	8.2×10^{11}	0.5	0	36
$\text{NH}_3 + \text{NaO} = \text{NH}_2 + \text{NaOH}$	9.6×10^{11}	0.5	0	36
$\text{HNO} + \text{Cl} = \text{NO} + \text{HCl}$	2.5×10^{11}	0.5	0	36
$\text{HNO} + \text{F} = \text{NO} + \text{HF}$	2.4×10^{11}	0.5	0	36
$\text{HNO} + \text{H} = \text{NH} + \text{OH}$	2×10^{11}	0.5	13	2
$\text{HNO} + \text{H} = \text{NO} + \text{H}_2$	3.9×10^{12}	0.5	0	13, 36
$\text{HNO} + \text{OH} = \text{NO} + \text{H}_2\text{O}$	2×10^{11}	0.5	2	3
$\text{HNO} + \text{O} = \text{NH} + \text{O}_2$	1×10^{11}	0.5	7	2
$\text{HNO} + \text{O} = \text{H} + \text{NO}_2$	5×10^{10}	0.5	3	2
$\text{HNO} + \text{O} = \text{NO} + \text{OH}$	5.0×10^{11}	0.5	0	36
$\text{HNO} + \text{NaO} = \text{NO} + \text{NaOH}$	4.7×10^{11}	0.5	0	36
$\text{NO} + \text{Ar} = \text{N} + \text{O} + \text{Ar}$	5.6×10^{18}	-1.0	151	5, 25
$\text{NO}^+ + \text{e} + \text{M} = \text{NO} + \text{M}$	5×10^{23}	-1.5	0	2
$\text{NO}^+ + \text{e} = \text{N} + \text{O}$	2.8×10^{20}	-1.2	0	44
$\text{NO} + \text{e} = \text{NO}^+ + 2\text{e}$	2.5×10^{13}	0.5	214	5
$\text{NO} + \text{M} = \text{N} + \text{O} + \text{M}$	2.4×10^{17}	-0.5	150	5
$\text{NO} + \text{M} = \text{NO}^+ + \text{e} + \text{M}$	6×10^4	1.5	214	5
$\text{NO} + \text{H} + \text{M} = \text{HNO} + \text{M}$	1×10^{17}	-0.5	0.7	2, 15
$2\text{NO} = \text{N}_2\text{O} + \text{O}$	3.5×10^{12}	0.0	64	5
$2\text{NO} = \text{NO}_2 + \text{N}$	1×10^{10}	0.0	88	5

Table 7. Reactions Involving Nitrogen Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$2\text{NO} = \text{N} + \text{O} + \text{NO}$	1.12×10^{20}	-1.0	151	5,25
$\text{NO} + \text{O} = \text{N} + 2\text{O}$	1.12×10^{20}	-1.0	151	5,25
$\text{NO}^+ + \text{O}^- = \text{NO} + \text{O}$	3.6×10^{19}	-1.0	0	44
$\text{NO} + \text{O}_2 = \text{N} + \text{O} + \text{O}_2$	5.6×10^{18}	-1.0	151	5,25
$\text{NO}^+ + \text{O}_2^- = \text{NO} + \text{O}_2$	3.6×10^{19}	-1.0	0	44
$\text{NO}^+ + \text{K} = \text{NO} + \text{K}^+$	4×10^{11}	0.5	0	2
$\text{N}_2\text{O} + \text{M} = \text{N} + \text{NO} + \text{M}$	1×10^{14}	-1.0	115	5
$\text{N}_2\text{O} + \text{H} = \text{N}_2 + \text{OH}$	3×10^{14}	0.0	16	40
$\text{N}_2\text{O} + \text{H} = \text{NH} + \text{NO}$	1×10^{11}	0.5	30	2
$\text{N}_2\text{O} + \text{O}_2 = \text{NO} + \text{NO}_2$	1×10^{13}	0.0	70	5
$\text{NO}_2 + \text{H} = \text{NO} + \text{OH}$	5×10^{11}	0.5	5	2
$\text{NO}_2 + \text{O} = \text{NO} + \text{O}_2$	2×10^{13}	0.0	1.1	32
$\text{N}_2\text{O} + \text{O} = \text{N} + \text{NO}_2$	1×10^{13}	0.0	50	5,29

Table 7. Reactions Involving Nitrogen Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$2\text{NO} = \text{N} + \text{O} + \text{NO}$	1.12×10^{20}	-1.0	151	5,25
$\text{NO} + \text{O} = \text{N} + 2\text{O}$	1.12×10^{20}	-1.0	151	5,25
$\text{NO}^+ + \text{O}^- = \text{NO} + \text{O}$	3.6×10^{19}	-1.0	0	44
$\text{NO} + \text{O}_2 = \text{N} + \text{O} + \text{O}_2$	5.6×10^{18}	-1.0	151	5,25
$\text{NO}^+ + \text{O}_2^- = \text{NO} + \text{O}_2$	3.6×10^{19}	-1.0	0	44
$\text{NO}^+ + \text{K} = \text{NO} + \text{K}^+$	4×10^{11}	0.5	0	2
$\text{N}_2\text{O} + \text{M} = \text{N} + \text{NO} + \text{M}$	1×10^{14}	-1.0	115	5
$\text{N}_2\text{O} + \text{H} = \text{N}_2 + \text{OH}$	3×10^{14}	0.0	16	40
$\text{N}_2\text{O} + \text{H} = \text{NH} + \text{NO}$	1×10^{11}	0.5	30	2
$\text{N}_2\text{O} + \text{O}_2 = \text{NO} + \text{NO}_2$	1×10^{13}	0.0	70	5
$\text{NO}_2 + \text{H} = \text{NO} + \text{OH}$	5×10^{11}	0.5	5	2
$\text{NO}_2 + \text{O} = \text{NO} + \text{O}_2$	2×10^{13}	0.0	1.1	32
$\text{N}_2\text{O} + \text{O} = \text{N} + \text{NO}_2$	1×10^{13}	0.0	50	5,29

Table 8. Reactions Involving Potassium Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$K + Cl + M = KCl + M$	3×10^{16}	-0.5	0	2
$K^+ + Cl^- + M = KCl + M$	4×10^{17}	-0.5	0	2
$K + Cl_2 = KCl + Cl$	5×10^{11}	0.5	3	2
$K^+ + e + M = K + M$	5×10^{23}	-1.5	0	2
$K + F + M = KF + M$	3×10^{16}	-0.5	0	2
$K^+ + F^- + M = KF + M$	4×10^{17}	-0.5	0	2
$K + F_2 = KF + F$	5×10^{11}	0.5	2	2
$K^+ + OH^- + M = KOH + M$	4×10^{17}	-0.5	0	2
$K + OH + M = KOH + M$	3×10^{16}	-0.5	0	2
$K + HOH = KOH + H$	1×10^{11}	0.5	6	2
$K + H_3O^+ = K^+ + H + H_2O$	4×10^{11}	0.5	0	2
$KCl + H = HCl + K$	5×10^{11}	0.5	7	2
$KF + H = HF + K$	5×10^{11}	0.5	7	2

Table 9. Reactions Involving Sodium Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Na} + \text{Cl} + \text{M} = \text{NaCl} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Na}^+ + \text{Cl}^- + \text{M} = \text{NaCl} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Na} + \text{Cl}^- = \text{NaCl} + e$	5×10^{11}	0.5	0	2
$\text{Na} + \text{Cl}_2 = \text{NaCl} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Na} + \text{ClF} = \text{NaF} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{Na} + \text{ClF} = \text{NaCl} + \text{F}$	5×10^{11}	0.5	3	2
$\text{Na} + \text{HCl} = \text{NaCl} + \text{H}$	5×10^{11}	0.5	6	2
$\text{Na}^+ + e + \text{M} = \text{Na} + \text{M}$	5×10^{24}	-2.5	0	44
$\text{Na} + e = \text{Na}^+ + 2e$	2.6×10^{13}	0.5	119	5
$\text{Na}^+ + e = \text{Na} + h\nu$	1.2×10^{14}	-0.75	0	5
$\text{Na} + \text{F} + \text{M} = \text{NaF} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Na}^+ + \text{F}^- + \text{M} = \text{NaF} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Na} + \text{F}_2 = \text{NaF} + \text{F}$	5×10^{11}	0.5	2	2
$\text{Na}^+ + \text{H}^- + \text{M} = \text{NaH} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Na} + \text{H} + \text{M} = \text{NaH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Na} + \text{H}^- = \text{NaH} + e$	5×10^{11}	0.5	0	2
$\text{Na}^+ + \text{OH}^- + \text{M} = \text{NaOH} + \text{M}$	4×10^{17}	-0.5	0	2
$\text{Na} + \text{OH} + \text{M} = \text{NaOH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Na} + \text{OH}^- = \text{NaOH} + e$	1×10^{11}	0.5	0	2
$\text{Na} + \text{HOH} = \text{NaOH} + \text{H}$	1×10^{11}	0.5	6	2

Table 9. Reactions Involving Sodium Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Na} + \text{H}_3\text{O}^+ = \text{Na}^+ + \text{H} + \text{H}_2\text{O}$	1×10^{10}	0.5	6	2
$\text{Na} + 2\text{N} = \text{N}_2 + \text{Na}^+ + \text{e}$	4×10^{15}	0.0	0	42
$\text{Na} + \text{N} + \text{O} = \text{NO} + \text{Na}^+ + \text{e}$	4×10^{15}	0.0	0	42
$\text{Na} + \text{NO}^+ = \text{Na}^+ + \text{NO}$	3×10^{13}	-0.5	0	42
$\text{Na}^+ + \text{O}^- + \text{M} = \text{NaO} + \text{M}$	4×10^{18}	0.0	0	42
$\text{Na} + \text{O} + \text{M} = \text{NaO} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Na} + \text{O}^- = \text{NaO} + \text{e}$	5×10^{11}	0.5	0	2
$\text{Na}^+ + \text{O}^- = \text{Na} + \text{O}$	4×10^{18}	-1.0	0	42
$\text{Na} + 2\text{O} = \text{O}_2 + \text{Na}^+ + \text{e}$	4×10^{16}	0.0	0	5
$\text{Na} + \text{O}_2 + \text{M} = \text{NaO}_2 + \text{M}$	4×10^{13}	0.0	0	42
$\text{Na}^+ + \text{O}_2^- = \text{Na} + \text{O}_2$	4×10^{18}	-1.0	0	42
$\text{Na}^+ + \text{O}_2^- = \text{NaO} + \text{O}$	5×10^{11}	0.5	6	2
$\text{NaCl} + \text{O}^- = \text{NaO} + \text{Cl}^-$	5×10^{11}	0.5	2	2
$\text{NaF} + \text{H} = \text{HF} + \text{Na}$	1×10^{11}	0.5	6	2
$\text{NaF} + \text{O}^- = \text{NaO} + \text{F}^-$	1×10^{11}	0.5	6	2
$\text{NaH} + \text{Cl} = \text{NaCl} + \text{H}$	5×10^{11}	0.5	3	2
$\text{NaH} + \text{Cl} = \text{Na} + \text{HCl}$	1.8×10^{11}	0.7	10	22
$\text{NaH} + \text{F} = \text{Na} + \text{HF}$	1.7×10^{11}	0.7	8	22
$\text{NaH} + \text{F} = \text{NaF} + \text{H}$	5×10^{11}	0.5	3	2
$\text{NaH} + \text{H} = \text{Na} + \text{H}_2$	1.4×10^{12}	0.7	5	22

Table 9. Reactions Involving Sodium Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{NaH} + \text{OH} = \text{Na} + \text{H}_2\text{O}$	1×10^{11}	0.5	3	2
$\text{NaH} + \text{O} = \text{Na} + \text{OH}$	1.3×10^{12}	0.7	1	22
$\text{NaH} + \text{O} = \text{NaO} + \text{H}$	5×10^{11}	0.5	3	2
$\text{NaH} + \text{NaO} = \text{NaOH} + \text{Na}$	1×10^{11}	0.5	3	2
$\text{NaO} + \text{Cl} = \text{NaCl} + \text{O}$	5×10^{11}	0.5	4	2
$\text{NaO} + \text{F} = \text{NaF} + \text{O}$	5×10^{11}	0.5	4	2
$\text{NaO} + \text{H} + \text{M} = \text{NaOH} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{NaO} + \text{H}^\cdot = \text{Na} + \text{OH}^\cdot$	5×10^{11}	0.5	4	2
$\text{NaO} + \text{H}^\cdot = \text{NaOH} + \text{e}$	5×10^{11}	0.5	0	2
$\text{NaO} + \text{HCl} = \text{NaOH} + \text{Cl}$	1×10^{11}	0.5	6	2
$\text{NaO} + \text{H}_2 = \text{NaOH} + \text{H}$	1×10^{11}	0.5	6	2
$\text{NaO} + \text{OH} = \text{NaOH} + \text{O}$	1×10^{11}	0.5	6	2
$\text{NaO} + \text{OH}^\cdot = \text{NaOH} + \text{O}^\cdot$	1×10^{11}	0.5	9	2
$\text{NaO} + \text{H}_2\text{O} = \text{OH} + \text{NaOH}$	1.3×10^{12}	0.5	0	36
$\text{NaO} + \text{O}^\cdot = \text{Na} + \text{O}_2^\cdot$	5×10^{11}	0.5	4	2
$\text{NaO} + \text{O} = \text{Na} + \text{O}_2$	5×10^{11}	0.5	6	2
$\text{NaOH} + \text{Cl} = \text{NaO} + \text{HCl}$	1.0×10^{11}	0.5	0	36
$\text{NaOH} + \text{F} = \text{NaO} + \text{HF}$	1.2×10^{11}	0.5	0	36
$\text{NaOH} + \text{H} = \text{NaO} + \text{H}_2$	1.19×10^{12}	0.7	19	22
$\text{NaOH} + \text{OH} = \text{NaO} + \text{H}_2\text{O}$	1.2×10^{11}	0.5	0	36
$\text{NaOH} + \text{O} = \text{NaO} + \text{OH}$	2.6×10^{11}	0.5	0	36

Table 10. Reactions Involving Chlorine Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{Cl} + \text{Cl}^- = \text{Cl}_2 + e$	5×10^{11}	0.5	0	2
$\text{Cl} + e + \text{M} = \text{Cl}^- + \text{M}$	1×10^{20}	-1.0	0	2
$\text{Cl} + \text{H} + \text{M} = \text{HCl} + \text{M}$	3×10^{16}	-0.5	0	2
$\text{Cl} + \text{H}^- = \text{Cl}^- + \text{H}$	4×10^{11}	0.5	0	2
$\text{Cl} + \text{H}^- = e + \text{HCl}$	5×10^{11}	0.5	0	2
$\text{Cl}^- + \text{H} = \text{HCl} + e$	5×10^{11}	0.5	0	2
$\text{Cl} + \text{H}_2 = \text{H} + \text{HCl}$	8.1×10^{13}	0.0	6	31
$\text{Cl} + \text{OH}^- = \text{Cl}^- + \text{OH}$	4×10^{11}	0.5	0	2
$\text{Cl}^- + \text{H}_3\text{O}^+ = \text{HCl} + \text{H}_2\text{O}$	1×10^{10}	0.5	6	2
$\text{Cl} + \text{O}^- = \text{Cl}^- + \text{O}$	4×10^{11}	0.5	0	2
$\text{Cl} + \text{O}_2^- = \text{Cl}^- + \text{O}_2$	5×10^{11}	0.5	0	2
$\text{HCl} + \text{F} = \text{Cl} + \text{HF}$	1.9×10^{12}	0.7	0.6	22
$\text{HCl} + \text{OH} = \text{Cl} + \text{H}_2\text{O}$	1×10^{11}	0.5	6	2
$\text{HCl} + \text{O}^- = \text{OH} + \text{Cl}^-$	5×10^{11}	0.5	13	2
$\text{HCl} + \text{O} = \text{Cl} + \text{OH}$	2.3×10^{11}	0.6	1	22
$\text{ClF} + \text{H} = \text{HF} + \text{Cl}$	5×10^{11}	0.5	3	2
$\text{ClF} + \text{H} = \text{HCl} + \text{F}$	5×10^{11}	0.5	3	2

Table 11. Reactions Involving Fluorine Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$F + e + M = F^- + M$	1×10^{20}	-1.0	0	2
$F + OH + HF = O + 2HF$	5×10^{18}	-0.5	6	2,19
$F + H^- = F^- + H$	4×10^{11}	0.5	0	2
$F + 2H = HF + H$	3.5×10^{17}	-0.5	0	2,19
$F + H_2 = H + HF$	7.8×10^{11}	0.7	3	22
$F + H + H_2 = HF + H_2$	7×10^{17}	-0.5	0	2,19
$F + OH^- = F^- + OH$	4×10^{11}	0.5	0	2
$F + OH = O + HF$	2.9×10^{12}	0.7	0.2	22
$F + H_2O = OH + HF$	5.6×10^{11}	0.5	0	36
$F + H_2O = HF + HO$	1×10^{11}	0.5	6	2
$F + H + OH = HF + OH$	5×10^{18}	-0.5	0	2,19
$F^- + H_3O^+ = HF + H_2O$	1×10^{11}	0.5	0	2
$F + H + H_2O = HF + H_2O$	5×10^{18}	-0.5	0	2,19
$F + O^- = F^- + O$	4×10^{11}	0.5	0	2
$F + O_2^- = F^- + O_2$	4×10^{11}	0.5	0	2
$F_2 + M = 2F + M$	7.1×10^{15}	0.0	30	35
$F_2 + H = HF + F$	5.28×10^{12}	0.5	4	23
$HF + M = H + F + M$	5.1×10^{22}	-2.0	134	28
$HF + H = H_2 + F$	1×10^{13}	0.0	35	28
$HF + 2H = H_2 + HF$	1×10^{19}	-0.5	0	2,19
$HF + O^- = HO + F^-$	1×10^{11}	0.5	7	2

Table 12. Reactions Involving Oxygen Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$O + O^- + M = O_2^- + M$	4×10^{17}	0.0	0	42
$O + O_2 = 3O$	8.5×10^{19}	-1.0	118	5,33
$O + O_2^- = O_2 + O^-$	4×10^{12}	0.0	0	42
$2O_2 = 2O + O_2$	2×10^{19}	-1.0	118	5
$O_2 + M = 2O + M$	3×10^{18}	-1.0	118	5
$O_2^- + M = O_2 + e + M$	5×10^{13}	0.0	10	2
$O_3 + M = O + O_2 + M$	6×10^{15}	0.0	25	5,34
$O + e + M = O^- + M$	4×10^{15}	0.0	0	21
$O + e + O_2 = O^- + O_2$	4×10^{15}	0.0	0	5
$O + e + N_2 = O^- + N_2$	2×10^{19}	-0.5	0	5
$O + e = O^- + h\nu$	7.2×10^8	0.0	0	5
$O_2 + e = O^- + O$	3×10^{15}	-1.0	84	5
$O_2 + e = O_2^- + h\nu$	1×10^5	0.0	0	43
$2O_2 + e = O_2^- + O_2$	1.5×10^{21}	-1.0	0	5
$O + H + M = OH + M$	2×10^{18}	-1.0	0	4
$O + H^- + M = OH^- + M$	4×10^{17}	-0.5	0	2
$O^- + H + M = OH^- + M$	6×10^{17}	-0.5	0	2
$O + 2H = OH + H$	3.5×10^{17}	-0.5	0	2,4
$O + H + H_2 = OH + H_2$	7×10^{17}	-0.5	0	2,4
$O + H + OH = 2OH$	5×10^{18}	-0.5	0	2,4
$O + H + H_2O = OH + H_2O$	5×10^{18}	-0.5	0	2,4

Table 12. Reactions Involving Oxygen Species (Continued)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$O + H^- = e + OH$	5×10^{11}	0.5	0	2
$O + H^- + O^- = H$	4×10^{11}	0.5	0	2
$O^- + H = OH + e$	5×10^{11}	0.5	0	2
$O^- + H_2 = H + OH^-$	5×10^{11}	0.5	6	2
$O + H_2 = H + OH$	4×10^{13}	0.0	10	37
$O + H_2O = 2OH$	4.2×10^{13}	0.0	18	41
$O^- + OH = O + OH^-$	5×10^{11}	0.5	0	2
$O^- + H_3O^+ = OH + H_2O$	1×10^{10}	0.5	6	2
$O_2 + H + M = O_2H + M$	1×10^{15}	-0.5	0	2,26
$O_2 + H = OH + O$	2×10^{14}	0.0	17	26
$O_2^- + H = OH + O^-$	5×10^{11}	0.5	6	2
$O_2^- + H = O + OH^-$	5×10^{11}	0.5	6	2
$O_2 + H^- = O_2^- + H$	4×10^{11}	0.5	0	2
$O_2 + O_2 = O + O_3$	1×10^{12}	0.0	97	5
$O_2 + H_2 = 2OH$	1×10^{14}	0.0	70	9,23
$O_2^- + OH = OH^- + O_2$	4×10^{11}	0.5	0	2
$OH^- + M = OH + e + M$	5×10^{13}	0.0	10	2
$OH + H + M = H_2O + M$	4.5×10^{21}	-1.5	0	26
$OH + H + H_2O = 2H_2O$	1.8×10^{22}	-1.5	0	
$OH^- + H = H_2O + e$	1×10^{11}	0.5	0	2

Table 12. Reactions Involving Oxygen Species (Concluded)

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$\text{OH} + \text{H}^- = \text{e} + \text{H}_2\text{O}$	5×10^{11}	0.5	0	2
$\text{OH} + \text{H}^- = \text{H} + \text{OH}^-$	4×10^{11}	0.5	0	2
$\text{OH} + 2\text{H} = \text{H}_2 + \text{OH}$	5×10^{18}	-0.5	0	2,19
$\text{OH} + \text{H}_2 = \text{H} + \text{H}_2\text{O}$	6×10^{11}	0.5	5	38
$\text{OH}^- + \text{OH} = \text{H}_2\text{O} + \text{O}^-$	1×10^{11}	0.5	9	2
$\text{OH}^- + \text{H}_3\text{O}^+ = 2\text{H}_2\text{O}$	1×10^{11}	0.5	0	2
$\text{H}_2\text{O} + \text{H} = \text{OH} + \text{H}_2$	2.9×10^{11}	0.7	18	22
$\text{H}_2\text{O} + 2\text{H} = \text{H}_2 + \text{H}_2\text{O}$	5×10^{18}	-0.5	0	2
$\text{HO}_2 + \text{H} = \text{H}_2 + \text{O}_2$	1×10^{11}	0.5	6	2
$\text{H}_3\text{O}^+ + \text{e} = \text{H}_2\text{O} + \text{H}$	3×10^{15}	0.5	0	2,17

Table 13. Reactions Involving Hydrogen Species

Reaction	A, cc/ mole-sec	n	E, kcal/mole	Refer- ence
$2H + H_2 = 2H_2$	5×10^{18}	-1.0	0	26
$3H = H_2 + H$	2×10^{19}	-1.0	0	26
$2H + M = H_2 + M$	2×10^{18}	-1.0	0	26
$H + H^- = e + H_2$	5×10^{11}	0.5	0	2
$H + e + M = H^- + M$	1×10^{20}	-1.0	0	2
$H + H + H_2O = H_2 + H_2O$	1.5×10^{19}	-1.0	0	26

REFERENCES AND NOTES

1. Estimated by A. X. Eschenroeder and J. A. Lordi, Symp. Combust., 9th, Cornell Univ., Ithaca, N. Y., 1962, 241 (1963).
2. Estimated by S. W. Mayer in accordance with paper cited in Ref. 1 for nonionic reactions. For such bimolecular exothermic reactions, $A = 5 \times 10^{11}$, $n = 0.5$, $E = 6\%$ of bond energy for triatomic transition states. (E is equal to bond energy for endothermic reactions.) A values are similar to those chosen in Ref. 1 for similar reactions. For third-body recombinations of atoms or radicals, $E = 0$ and $n = -0.5$.
3. Selected as in paper cited in Ref. 1, as a weighted average of experimental data.
4. Selected by N. Cohen as a weighted average of data reported by A. A. Westenberg and S. Favin, Symp. Combust., 9th, Cornell Univ., Ithaca, N. Y., 1962, 785 (1963). (Applicable from 400° to 1800°K.)
5. Selected by M. H. Bortner, Chemical Kinetics in a Reentry Flow Field, R 63SD63, General Electric Space Sciences Laboratory, (1963).
6. K. H. Anderson and S. W. Benson, J. Chem. Phys. **39**, 1677 (1963).
7. S. W. Benson, Ind. Eng. Chem. **56**, 18 (1964). Gives rules for estimating AT^n and E for several classes of reactions.
8. S. W. Benson, The Foundations of Chemical Kinetics, (McGraw-Hill Book Company, Inc., N. Y., 1960.) (Tabulates several values for AT^n and E.)
9. R. E. Duff, J. Chem. Phys. **28**, 1193 (1958); also, C. P. Fenimore and G. W. Jones, J. Phys. Chem. **65**, 993 (1961).
10. Selected from data reported by I. N. Montchiloff, et al., Symp. Combust., 9th, Cornell Univ., Ithaca, N. Y., 1962, 220 (1963).


11. Estimated by S. W. Mayer by analogy with the values for $H_2 + CH_3 = H + CH_4$ and $H_2CO + H_2$ (Ref. 6).
12. Selected from reported data in Ref. 6.
13. Estimated by S. W. Mayer based on Ref. 14. The A and n values also agree with those of Ref. 1. The E values for atom transfers involving the N—H bond are about 2 kcal lower than those involving the C—H bond, but from 2000 to 4000°K this difference has a relatively small effect on the rate constant.
14. R. W. Diesen, J. Chem. Phys. 39, 2121 (1963).
15. Simonaitis, J. Phys. Chem. 67, 2227 (1963); also, M. A. A. Clyne, B. A. Thrush, Trans. Faraday Soc. 57, 1305 (1961). A is the mean of the results in these two papers; E is given in the latter paper.
16. C. P. Fenimore and G. W. Jones, J. Phys. Chem. 65, 1532 (1961).
17. J. A. Green and T. M. Sugden, Symp. Combust., 9th, Cornell Univ., Ithaca, N. Y., 1962, 607 (1963). E values estimated as in Ref. 2 for transfer reaction.
18. V. N. Kondratiev, Symp. Combust., 7th, London and Oxford, 1958, 41 (1959); B. H. Mahan and R. B. Solo, J. Chem. Phys. 37, 2669 (1962).
19. K. A. Wilde, AIAA J. 2, 374 (1964). (Estimated.)
20. M. H. Bortner, The Chemical Kinetics of Sodium in Reentry, R 64 SD 33, General Electric Missile and Space Division, (1964).
21. M. H. Bortner, Chemical Kinetics of Atmospheric De-ionization, R 63 SD 34, General Electric Missile and Space Division, (1963).
22. Calculated by the H. S. Johnston method. H. S. Johnston and C. Parr, J. Am. Chem. Soc. 85, 2544 (1963); also, S. W. Mayer, J. B. Szabo, L. Schieler, and H. S. Johnston, Computed High Temperature Rate Constants for H-atom Transfers Involving the Light Elements, TDR-469(9210-02)-4, Aerospace Corp. (July 1965).
23. R. Dunlap and R. Hermesen, Nonequilibrium Flow in Nozzles, UTC 2032-FR, United Technology Corporation, (February 1963).

24. R. Klein, J. Chem. Phys. 32, 1814 (1960).
25. Estimated by N. Cohen from K. L. Wray and J. D. Teare, J. Chem. Phys. 26, 2582 (1962).
26. W. E. Kaskan and W. G. Browne, Kinetics of the H₂/CO/O₂ Systems, R 64 SD 37, General Electric Missile and Space Division, (1964).
27. Selected from R. R. Baldwin, Symp. Combust., 9th, Cornell Univ., Ithaca, N. Y., 1962, 667 (1963).
28. T. Jacobs, N. Cohen, and R. Giedt, J. Chem. Phys. 43, 3688 (1965).
29. Estimated by N. Cohen on basis of F. Kaufman and J. Kelso, Symp. Combust., 7th, London and Oxford, 1958, 53 (1959).
30. Estimated by N. Cohen from B. Cary, Phys. Fluids 8, 26 (1965).
31. G. C. Fettis and J. H. Knox, Progress in Reaction Kinetics, (MacMillan, N. Y., 1964), Vol. 2, p. 22.
32. F. S. Klein and J. T. Herron, J. Chem. Phys. 41, 1285 (1964).
33. K. L. Wray, J. Chem. Phys. 38, 1518 (1963). (For 1000°K and above).
34. S. W. Benson and A. E. Axworthy, J. Chem. Phys. 42, 2614 (1965).
35. C. D. Johnson and D. Britton, J. Phys. Chem. 68, 3032 (1964).
36. Estimated by S. W. Mayer on basis of S. W. Mayer, E. A. Cook, and L. Schieler, "Nonequilibrium Recombination in Nozzles," TDR-269 (4210-10)-6, Aerospace Corp. (September 1964) p. 12.
37. A. A. Westenberg, private communication, Applied Physics Laboratory, Silver Springs, Md. (November 1966).
38. G. Dixon-Lewis, W. E. Wilson, and A. A. Westenberg, J. Chem. Phys. 44, 2877 (1966).
39. K. G. F. Sulzmann, et al., J. Chem. Phys. 42, 3969 (1965).
40. C. P. Fenimore, Chemistry in Premixed Flames, (Pergamon Press, N. Y., 1964).

41. R. M. Fristrom and A. A. Westenberg, Flame Structure, (McGraw-Hill Book Company, Inc., N. Y., 1965).
42. M. H. Bortner, Editor, DASA Reaction Rate Handbook, Chapter 13, (In Press), (Via personal communication, December 1966).
43. M. H. Bortner, personal communication, December 1966, as the value selected by A. V. Phelps in Chapter 8 of DASA Reaction Rate Handbook, (In Press).
44. M. H. Bortner, personal communication, December 1966, as the value selected by M. A. Biondi in Chapter 7 of DASA Reaction Rate Handbook, (In Press).

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
Aerospace Corporation El Segundo, California		Unclassified
		2b. GROUP
3. REPORT TITLE		
Compilation of Reaction Rate Data for Nonequilibrium Performance and Reentry Calculation Programs		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (Last name, first name, initial)		
Tunder, R., Mayer, S., Cook, E., and Schieler, L.		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
January 1967	71	44
8a. CONTRACT OR GRANT NO.	8a. ORIGINATOR'S REPORT NUMBER(S)	
AF 04(695)-1001	TR-1001(9210-02)-1	
b. PROJECT NO.		
c.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.	SSD-TR-67-45	
10. AVAILABILITY/LIMITATION NOTICES		
Distribution of this document 		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY	
	Space Systems Division Air Force Systems Command Los Angeles, California	
13. ABSTRACT		
<p>A compilation of gas-phase rate data for use in nonequilibrium gas composition and propellant performance calculation programs is presented. Reactions are listed with the preexponential factor, temperature exponent, and activation energy for the Arrhenius form of the rate equation. Only unidirectional rate data are supplied since reverse rates may be generated from thermochemical data. Explanatory notes on the estimation of the rate data are included with the references.</p>		

Rate Constants
Recombination Reactions
Reaction Kinetics
Nonequilibrium Reactions

Abstract (Continued)